



 **Patons**

BOOK 1248
ZHIVAGO SUMMER
KNITS
19 STYLES

SIZES: XXS TO XXL

HELENA




Zhivago

Summer Knits

STYLE 2

*Shaped Front Jacket with
Lace Trim*



STYLE 3

Wrap Vest with Scallop Edge



STYLE 4

Poncho in Squares



STYLE 5

Lace Stripe Sweater





STYLE 6

Lace shrug with Eyelet Edging



STYLE 7

Open Eyelet Poncho



STYLE 8

Sweater with Lace Cuffs



Zhivago Summer Knits

Index of Styles

| Style | Description | Instructions |
|-------|------------------------------------|--------------|
| 1. | Basket Stitch Singlet Top | p. 12 |
| 2. | Shaped Front Jacket with Lace Trim | p. 14 |
| 3. | Wrap Vest with Scallop Edge | p. 18 |
| 4. | Poncho in Squares | p. 21 |
| 5. | Lace Stripe Sweater | p. 24 |
| 6. | Lace Shrug with Eyelet Edging | p. 27 |
| 7. | Open Eyelet Poncho | p. 29 |
| 8. | Sweater with Lace Cuffs | p. 31 |
| 9. | Shaped Classic Sweater | p. 33 |
| 10. | Shaped Classic Cardigan | p. 36 |
| 11. | Wrap Jacket with Lace Trim | p. 40 |
| 12. | Scallop Hem Top | p. 43 |
| 13. | Classic Texture Jacket | p. 46 |
| 14. | Lace Vest - Worked Sideways | p. 50 |
| 15. | Moss Stitch Singlet | p. 52 |
| 16. | Lace Wrap with Zig Zag Edging | p. 54 |
| 17. | Vee Lace Jacket | p. 56 |
| 18. | Diamond Lace Jacket | p. 60 |
| 19. | Eyelet Jacket with Lace Edging | p. 64 |

Helpful Hints Index - See page 10
Important Tips for knitting - See page 11

BONUS - Centre Insert - LEARN TO KNIT INSTRUCTIONS



Helpful Hints

| | | |
|-----|---|-------|
| 1. | Back stitch seam | p. 13 |
| 2. | Patons handknit rating | p. 17 |
| 3. | Flat seam | p. 22 |
| 4. | Running stitch seam | p. 23 |
| 5. | Shaping in lacy patterns | p. 26 |
| 6. | Picking up dropped stitches | p. 28 |
| 7. | Slip stitch | p. 28 |
| 8. | Make 1 (M1) | p. 30 |
| 9. | Sewing in set in sleeves | p. 35 |
| 10. | Tension square | p. 39 |
| 11. | Neatening the side edge of your cast on | p. 45 |
| 12. | Knitting up stitches | p. 49 |
| 13. | Measurements | p. 51 |
| 14. | Casting on for K1, P1 rib | p. 55 |
| 15. | Variations in specified yarn quantities | p. 59 |
| 16. | Conversion of inches to centimetres | p. 59 |
| 17. | Neatening of cast off buttonholes | p. 63 |
| 18. | Knitting abbreviations | p. 68 |



Tips for Knitting Zhivago

Selecting the Size to Knit -

- Refer to the box at the beginning of the pattern instruction. Patons describes the type of fit of the style. Ladies knits are generally designed to be a firm, easy or generous fit. For example, an easy fit is approximately 10cm bigger than the actual bust measurement.
- The GARMENT MEASURES sizings are the actual finished measurements of each size when knitted to the correct tension as stated in the 'Tension' box.
- Some knitters may prefer a firmer or more generous fit than the pictured garment, hence choose to knit a size smaller or larger than usual.
- Patons recommends considering the size to knit carefully and even measuring a favourite garment in your wardrobe and comparing the bust measurement to the garment measures sizes in the pattern instruction.

Tension -

- Accurate tension is crucial for a successful knitting project. Patons strongly recommends knitting a tension square – prior to beginning your garment.
- Patons patterns explain how to knit the tension square at the beginning of the instructions. This small exercise will confirm your tension matches that in the instruction and that your finished garment will be the correct measurement.

The STOP SIGN -

- As correct tension is so important, Patons has created a STOP SIGN – appearing in the instructions. As some knitters can loosen or tighten when knitting larger items, this is a simple additional check to confirm your tension has not altered. Please measure your knitting at this point and compare this measurement with those stated.

Knitting with Printed Yarns -

- Many of the styles in this book are knitted in Zhivago print colours. As with any printed yarns, Patons recommends working with 2 balls.
- This means casting on and working 2 rows with one ball, then working the next 2 rows with a second ball. Change back to the first ball for the following 2 rows and continue alternating in this way, every 2 rows, throughout your garment.
- Working with 2 balls helps to avoid obvious patches of colour in your knitting.
- If a colouring patch still occurs, some knitters may choose to re-join the yarn – at the beginning of a row – starting with a different section of colour in the yarn.

Knots -

- Never knit a knot along a row. All yarn joins should be made at the beginning of a row, leaving at least 10cm of yarn to sew neatly into the seam when making up.





1. BASKET STITCH SINGLET TOP

EASE OF KNITTING 📏 📏 (easy knit, see page 17)

STITCH USED - Basket weave stitch

MEASUREMENTS

This garment is designed to be a firm fit.

| Size | | XXS | XS | S | M | L | XL |
|-----------|----|-----|-------|-------|-------|---------|---------|
| Fits bust | cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENT MEASURES (approx with correct tension)

| | cm | 67 | 77 | 87 | 97 | 107 | 117 |
|--------|----|----|----|----|----|-----|-----|
| Length | cm | 49 | 50 | 51 | 52 | 53 | 54 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment.
Other yarns may give unsatisfactory results.
Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|---|---|---|---|---|---|
| Quantity | 4 | 4 | 5 | 6 | 6 | 7 |
|----------|---|---|---|---|---|---|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- 2 Stitch Holders.
- A Wool Needle for sewing up.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts.

Work 42 rows stocking st. Cast off loosely. Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK AND FRONT (both alike)

Using 4.00mm Needles, cast on 69 (79-89-99-109-119) sts.

1st row - K2 (7-2-7-2-7), P5, * K5, P5, rep from * to last 2 (7-2-7-2-7) sts, K2 (7-2-7-2-7).

2nd row - P2 (7-2-7-2-7), K5, * P5, K5, rep from * to last 2 (7-2-7-2-7) sts, P2 (7-2-7-2-7).

Rep 1st and 2nd rows once, then 1st row once.

Rep 1st and 2nd rows twice, then 1st row once.

Last 10 rows form patt.

Cont in patt until work measures 31 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Keeping patt correct, cast off 3 (5-6-9-10-11) sts at beg of next 2 rows ... 63 (69-77-81-89-97) sts.

Dec one st at each end of next row, then in every foll alt row until 59 (59-65-65-71-77) sts rem.

Work 13 (7-5-1-1-1) row/s patt.

SHAPE NECK -

Next row - Patt 19 (19-21-21-23-25), turn.

** Cont on these 19 (19-21-21-23-25) sts.

Dec one st at neck edge in every row until 13 (13-15-15-17-17) sts rem, then in every foll alt row until 9 (9-9-9-11-11) sts rem.

Cont in patt without shaping until armhole measures 18 (19-20-21-22-23) cm, working last row on wrong side.

Cast off rem sts. **

Slip next 21 (21-23-23-25-27) sts onto a stitch-holder and leave.

Join yarn to rem sts and patt to end.

Rep from ** to **, working 1 row more before cast off.

NECK EDGING

Using wool needle and back-stitch, join Front and Back together at right shoulder. With right side facing and using 4.00mm Needles, knit up 24 (26-28-30-30-30) sts evenly along left front neck, knit across sts from front stitch-holder, knit up 24 (26-28-30-30-30) sts evenly along right front neck, 24 (26-28-30-30-30) sts evenly along right back neck, knit across sts from back stitch-holder, then knit up 24 (26-28-30-30-30) sts evenly along left back neck ... 138 (146-158-166-170-174) sts.

Next row - Knit.

Cast off loosely knitways.

ARMHOLE EDGINGS

Using wool needle and back-stitch, join Front and Back together at left shoulder. With right side facing and using 4.00mm Needles, knit up 78 (86-92-102-108-114) sts evenly along armhole edge.

Next row - Knit.

Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side seams, matching pattern.

BACK-STITCH SEAM

This is the method most commonly used for joining knitted garments. Hold the pieces together with right sides inside. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn **after** sewing seams.





2. SHAPED FRONT JACKET WITH LACE TRIM

EASE OF KNITTING **▲▲▲** (intermediate knit, see page 17)

STITCHES USED - Moss stitch and Lace pattern

MEASUREMENTS

This garment is designed to be an easy fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENT MEASURES (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|------------------------|----|----|----|-----|-----|-----|-----|
| Length (approx) | cm | 63 | 64 | 65 | 66 | 67 | 68 |
| Sleeve Length (approx) | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|----|----|----|----|----|----|
| Quantity | 11 | 12 | 13 | 14 | 15 | 16 |
|----------|----|----|----|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Wool Needle for sewing up.

TENSION -

19 sts and 33 rows to 10 cm over moss st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 29 sts. Work 50 rows moss st as for Back. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 83 (93-101-111-121-131) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row for moss st.

Cont in moss st until work measures 15 cm from beg, working last row on right side.

Note - Right side of work is now facing for next row. Cont in moss st until work measures 37 cm (6 cm has been allowed for edging) from beg, working last row on wrong side.

SHAPE ARMHOLES -

Keeping moss st correct, cast off 5 (7-8-9-10-12) sts at beg of next 2 rows ... 73 (79-85-93-101-107) sts.

Dec one st at each end of next row, then in every foll alt row until 63 (67-71-77-81-83) sts rem.

Cont in moss st without shaping until work measures 54 (55-56-57-58-59) cm from beg, working last row on wrong side.

SHAPE BACK NECK -

Next row - Moss 21 (22-23-26-27-27), cast off next 21 (23-25-25-27-29) sts loosely in moss st, moss to end.

****** Cont on these 21 (22-23-26-27-27) sts.

Dec one st at neck edge in every row until 12 (13-14-17-18-18) sts rem.

Work 1 row moss st.

SHAPE SHOULDER -

Cast off 4 (4-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 4 (5-4-5-6-6) sts. ******

With wrong side facing, join yarn to rem sts.

Rep from ****** to ******, working 1 row **less** before shoulder shaping.

LEFT FRONT

Using 4.00mm Needles, cast on 3 sts.

1st row - K1, P1, K1.

2nd row - Cast on 3 sts, P1, K1, P1 over the cast on sts, K1, P1, K1 ... 6 sts.

3rd row - (K1, P1) 3 times.

4th row - Cast on 3 sts, K1, P1, K1 over the cast on sts, (P1, K1) 3 times ... 9 sts.

Keeping moss st correct and working extra sts into moss st, cont casting on 3 sts at **beg** (front edge) of every foll alt row until there are 24 (27-33-39-45-51) sts.

Work 2 rows moss st.


Inc one st at **end** (front edge) of next row, then in every foll 4th row until there are 33 (37-41-47-51-57) sts.

Cont in moss st without shaping until work measures same as Back to beg of armhole shaping, working last row on wrong side.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Moss to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, moss to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping moss st correct, cast off 5 (7-8-9-10-12) sts at beg of next row ... 28 (30-33-38-41-45) sts. Dec one st at armhole edge in every foll alt row 5 (6-7-8-10-12) times, AT SAME TIME dec one st at **end** (front edge) in 2nd row, then in every foll 4th row 4 (2-4-5-3-8) times, then in every foll 6th row until 12 (13-14-17-18-18) sts rem.

Cont in moss st without shaping until work measures same as Back to beg of shoulder shaping, working last row on wrong side.

SHAPE SHOULDER -

Cast off 4 (4-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 4 (5-4-5-6-6) sts.

RIGHT FRONT

Using 4.00mm Needles, cast on 3 sts.

1st row - K1, P1, K1.

2nd row - As 1st row.

Keeping moss st correct and working extra sts into moss st, cast on 3 sts at **beg** (front edge) of next row, then in every foll alt row until there are 24 (27-33-39-45-51) sts.

Work 1 row moss st.

Inc one st at **beg** (front edge) of next row, then in every foll 4th row until there are 33 (37-41-47-51-57) sts.

Cont in moss st without shaping until work measures same as Back to beg of armhole shaping, working last row on right side.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping moss st correct, cast off 5 (7-8-9-10-12) sts at beg of next row ... 28 (30-33-38-41-45) sts.

Dec one st at armhole edge in next row, then in every foll alt row 4 (5-6-7-9-11) times, AT SAME TIME dec one st at **beg** (front edge) in next row, then in every foll 4th row 4 (2-4-5-3-8) times, then in every foll 6th row until 12 (13-14-17-18-18) sts rem.

Cont in moss st without shaping until work measures same as Back to beg of shoulder shaping, working last row on right side.

SHAPE SHOULDER -

Cast off 4 (4-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 4 (5-4-5-6-6) sts.

SLEEVES

Using 4.00mm Needles, cast on 41 (43-45-47-49-51) sts.

Work 4 rows moss st as for Back.

Cont in moss st and working extra sts into moss st, inc one st at each end of next row, then in every foll 10th (8th-6th-6th-4th-4th) row until there are 51 (55-51-77-59-73) sts, then in every foll 12th (10th-8th-8th-6th-6th) row until there are 61 (67-73-81-87-93) sts.

Cont in moss st without shaping until work measure 37 cm (or 6 cm less than length desired to allow for edging) from beg, working last row on wrong side.

SHAPE TOP -

Keeping moss st correct, cast off 3 (4-4-5-5-6) sts at beg of next 2 rows ... 55 (59-65-71-77-81) sts.

Dec one st at each end of next row, then in every foll 4th (4th-4th-alt-alt-alt) row until 47 (53-61-15-23-27) sts rem, then in every foll alt (alt-alt-every-every-every) row until 13 sts rem.

Work 1 (1-1-0-0-0) row/s. Cast off.

BACK AND FRONTS EDGING

Using wool needle and back-stitch, join shoulder and side seams.

Using 4.00mm Needles, cast on 11 sts.

Next row (wrong side) - Knit.

Beg patt - 1st row (right side) - K3, yfwd, K2tog, K1, sl 1, K1, pssso, **turn**, cast on 4 sts, **turn**, ybk, K2tog, K1 ... 13 sts.

2nd row - K10, yfwd, K2tog, K1.

3rd row - K3, yfwd, K2tog, sl 1, K1, pssso, (yfwd, K1) 4 times, yfwd, K2tog ... 16 sts.

4th row - K13, yfwd, K2tog, K1.

5th row - K3, yfwd, K2tog, sl 1, K1, pssso, (yfwd, K1) twice, yfwd, sl 1, K2tog, pssso, (yfwd, K1) twice, yfwd, K2tog ... 18 sts.

6th row - K15, yfwd, K2tog, K1.

7th row - K3, yfwd, K2tog, K11, K2tog ... 17 sts.

8th row - Cast off 6 sts, K7, yfwd, K2tog, K1 ... 11 sts.

Rows 1 to 8 incl form patt.

Cont in patt until edging fits (slightly stretched) evenly around left half of centre back neck shaping, along left front edge, cast on edge of back, right front edge, then around rem half of centre back neck shaping, ending with an 8th patt row. Cast off knitways.

SLEEVE EDGINGS

Using wool needle and back-stitch, join sleeve seams.

Work as for Back and Fronts Edging until edging fits (slightly stretched) evenly around cast on edge of Sleeves.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, sew in sleeves. Join cast on and cast off edges of sleeve edgings together. Sew sleeve edgings to sleeves, matching seam on edgings to seam on sleeves. Sew back and fronts edging to Jacket, beginning and ending at centre back neck and easing to fit. Join cast on and cast off edges of edging together.

THE Patons HAND KNIT RATINGS HELP YOU CHOOSE

THE PATTERN SUITED TO YOUR KNITTING ABILITY

▲ Beginner Knit - Suitable for new knitters techniques included:
Casting on and off, simple knit and purl stitches and basic increasing and decreasing.

▲▲ Easy Knit - Suitable for those with some experience having completed some smaller projects techniques included:
Easier knit and purl stitch patterns that require some counting of repeats, simple lace patterns (without shaping in the lace), slip stitch patterns and increasing and decreasing in texture stitch patterns.

▲▲▲ Intermediate Knits - Suitable for those with moderate confidence level of knitting and have completed texture stitch projects, including a garment techniques included:
Texture stitch patterns with longer repeats, lace patterns with more complexity and basic cable patterns.

▲▲▲▲ Advanced Knits - Suitable for knitters with experience, who have successfully completed a variety of projects techniques included:
Techniques which require specialised knowledge and skill level, fair isle knitting, aran knitting and more complicated lace patterns.

▲▲▲▲▲ Challenge Knits - Suitable for those who have knitted a variety of projects and enjoy the challenge of complex techniques including:
Make and lose patterns, complicated shaping, multiple stitch combinations, specialised techniques requiring a higher level of experience and concentration.

P Patience Required - Not for the faint-hearted!
Non standard techniques and shaping, constant stitch counting and special finishing required.



3. WRAP VEST WITH SCALLOP EDGE

EASE OF KNITTING 🍴🍴🍴 (intermediate knit, see page 17)

STITCHES USED - Bear Track stitch and Garter stitch

MEASUREMENTS

Size

Fits bust

Length

This garment is designed to be an easy fit.

| | XXS-XS | S-M | L-XL |
|----|--------|-------|---------|
| cm | 65-75 | 80-95 | 100-115 |
| cm | 55 | 56 | 58 |

PATONS YARN REQUIRED - IMPORTANT!

Use only the yarn specified for this vest.
Other yarns may give unsatisfactory results.
Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

Quantity

| | | |
|---|---|----|
| 7 | 9 | 11 |
|---|---|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Wool Needle for sewing up.
- A Purchased Pin.

TENSION -

19 sts and 42 rows to 10 cm over garter st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 28 sts.

Knit 64 rows garter st. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 65 (81-97) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a vest that is the wrong shape or size.

This is a make and lose pattern.

Where a number of sts is stated, this does not include sts made or lost in pattern.

Beg patt - 1st row (right side) - K1, * yfwd, (K1, P1) 7 times, K1, yfwd, K1, rep from * to end ... 73 (91-109) sts.

2nd row - K1, * P2, (K1, P1) 7 times, P1, K1, rep from * to end.

3rd row - K2, * yfwd, (K1, P1) 7 times, K1, yfwd, K3, rep from * to last 17 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K2 ... 81 (101-121) sts.

4th row - K2, * P2, (K1, P1) 7 times, P1, K3, rep from * to last 19 sts, P2, (K1, P1) 7 times, P1, K2.

5th row - K3, * yfwd, (K1, P1) 7 times, K1, yfwd, K5, rep from * to last 18 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K3 ... 89 (111-133) sts.

6th row - K3, * P2, (K1, P1) 7 times, P1, K5, rep from * to last 20 sts, P2, (K1, P1) 7 times, P1, K3.

7th row - K4, * yfwd, (K1, P1) 7 times, K1, yfwd, K7, rep from * to last 19 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K4 ... 97 (121-145) sts.

8th row - K4, * P2, (K1, P1) 7 times, P1, K7, rep from * to last 21 sts, P2, (K1, P1) 7 times, P1, K4.

9th row - K5, * yfwd, (sl 1, K1, pss) 3 times, sl 1, K2tog, pss, (K2tog) 3 times, yfwd, K9, rep from * to last 20 sts, yfwd, (sl 1, K1, pss) 3 times, sl 1, K2tog, pss, (K2tog) 3 times, yfwd, K5 ... 73 (91-109) sts.

10th row - K5, * P9, K9, rep from * to last 14 sts, P9, K5.

11th row - K6, * yfwd, sl 1, K1, pss, K3, K2tog, yfwd, K11, rep from * to last 13 sts, yfwd, sl 1, K1, pss, K3, K2tog, yfwd, K6 ... 73 (91-109) sts.

12th row - K6, * P7, K11, rep from * to last 13 sts, P7, K6.

13th row - K7, * yfwd, sl 1, K1, pss, K1, K2tog, yfwd, K13, rep from * to last 12 sts, yfwd, sl 1, K1, pss, K1, K2tog, yfwd, K7 ... 73 (91-109) sts.

14th row - K7, * P5, K13, rep from * to last 12 sts, P5, K7.

15th row - K8, * yfwd, sl 1, K2tog, pss, yfwd, K15, rep from * to last 11 sts, yfwd, sl 1, K2tog, pss, yfwd, K8 ... 73 (91-109) sts.


16th row - K8, * P3tog, K15, rep from * to last 11 sts, P3tog, K8 ... 65 (81-97) sts.

Knit in garter st for rem until work measures 20 cm from beg, working last row on right side.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Knit to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 34 (42-50) cm, if your **tension** is correct.



- If **correct**, knit to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in garter st until work measures 55 (56-58) cm from beg, working last row on wrong side. Cast off loosely knitways.

LEFT FRONT (worked sideways)

Using 4.00mm Needles, cast on 97 sts.

Beg patt - 1st row (right side) - K1, * yfwd, (K1, P1) 7 times, K1, yfwd, K1, rep from * to end ... 109 sts.

2nd row - K1, * P2, (K1, P1) 7 times, P1, K1, rep from * to end.

3rd row - K2, * yfwd, (K1, P1) 7 times, K1, yfwd, K3, rep from * to last 17 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K2 ... 121 sts.

4th row - K2, * P2, (K1, P1) 7 times, P1, K3, rep from * to last 19 sts, P2, (K1, P1) 7 times, P1, K2.

5th row - K3, * yfwd, (K1, P1) 7 times, K1, yfwd, K5, rep from * to last 18 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K3 ... 133 sts.

6th row - K3, * P2, (K1, P1) 7 times, P1, K5, rep from * to last 20 sts, P2, (K1, P1) 7 times, P1, K3.

7th row - K4, * yfwd, (K1, P1) 7 times, K1, yfwd, K7, rep from * to last 19 sts, yfwd, (K1, P1) 7 times, K1, yfwd, K4 ... 145 sts.

8th row - K4, * P2, (K1, P1) 7 times, P1, K7, rep from * to last 21 sts, P2, (K1, P1) 7 times, P1, K4.

9th row - K5, * yfwd, (sl 1, K1, pssso) 3 times, sl 1, K2tog, pssso, (K2tog) 3 times, yfwd, K9, rep from * to last 20 sts, yfwd, (sl 1, K1, pssso) 3 times, sl 1, K2tog, pssso, (K2tog) 3 times, yfwd, K5 ... 109 sts.

10th row - K5, * P9, K9, rep from * to last 14 sts, P9, K5.

11th row - K6, * yfwd, sl 1, K1, pssso, K3, K2tog, yfwd, K11, rep from * to last 13 sts, yfwd, sl 1, K1, pssso, K3, K2tog, yfwd, K6 ... 109 sts.

12th row - K6, * P7, K11, rep from * to last 13 sts, P7, K6.

13th row - K7, * yfwd, sl 1, K1, pssso, K1, K2tog, yfwd, K13, rep from * to last 12 sts, yfwd, sl 1, K1, pssso, K1, K2tog, yfwd, K7 ... 109 sts.

14th row - K7, * P5, K13, rep from * to last 12 sts, P5, K7.

15th row - K8, * yfwd, sl 1, K2tog, pssso, yfwd, K15, rep from * to last 11 sts, yfwd, sl 1, K2tog, pssso, yfwd, K8 ... 109 sts.

16th row - K8, * P3tog, K15, rep from * to last 11 sts, P3tog, K8 ... 97 sts.

Knit 2 rows garter st. **

SHAPE NECK -

Next row - Knit to last 2 sts, inc in next st, K1. Cont in garter st, inc one st (as before) at **end** (neck edge) of every foll 6th (8th-8th) row until

there are 99 (100-106) sts, then in every foll 8th (10th-10th) row until there are 105 (107-111) sts. Cont without shaping until work measures 25 (33-40) cm from beg, working last row on wrong side.

Cast off loosely knitways.

RIGHT FRONT (worked sideways)

Work as for Left Front to **.

SHAPE NECK -

Next row - K1, inc in next st, knit to end.

Cont in garter st, inc one st (as before) at **beg** (neck edge) of every foll 6th (8th-8th) row until there are 99 (100-106) sts, then in every foll 8th (10th-10th) row until there are 105 (107-111) sts. Cont without shaping until work measures 25 (33-40) cm from beg, working last row on wrong side.

Cast off loosely knitways.

ARMHOLE EDGINGS

Tie coloured threads at side edges 20 (22-24) cm down from cast off edge on Back to mark armholes. Tie coloured threads on Fronts at cast off to correspond with coloured threads on Back. Using wool needle and back-stitch, join side seams (side edges of Back and cast off edges for Fronts) to coloured threads. With right side facing and using 4.00mm Needles, knit up 72 (82-90) sts evenly along armhole edge.

Next row - Knit.

Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and a flat seam (see page 22), join shoulder seams for 5 cm. Cross right front over left and fasten with purchased pin, as pictured.





4. PONCHO IN SQUARES

EASE OF KNITTING **▲▲** (easy knit, see page 17)

STITCH USED - Garter stitch

One size fits most

Length (approx) cm 47

PATONS YARN REQUIRED -

IMPORTANT! Use only the yarn specified for this poncho.

Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | |
|-------------------|---|
| Main Colour (M) | 4 |
| 1st Contrast (C1) | 3 |
| 2nd Contrast (C2) | 2 |
| 3rd Contrast (C3) | 1 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

TENSION -

19 sts and 42 rows to 10 cm over garter st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 28 sts.

Work 64 rows garter st. Cast off loosely. Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

SQUARES (make 42)

Using 4.00mm Needles and **M**, cast on 41 sts.

1st row (wrong side) - Knit.

2nd row - K19, sl 1, K2tog, pssso, K19 ... 39 sts.

3rd and foll alt rows - Knit using colour already in use.

4th row - K18, sl 1, K2tog, pssso, K18 ... 37 sts.

6th row - K17, sl 1, K2tog, pssso, K17 ... 35 sts.

8th row - K16, sl 1, K2tog, pssso, K16 ... 33 sts.

Using **C1**, **10th row** - K15, sl 1, K2tog, pssso, K15 ... 31 sts.

Using **M**, **12th row** - K14, sl 1, K2tog, pssso, K14 ... 29 sts.

Using **C1**, **14th row** - K13, sl 1, K2tog, pssso, K13 ... 27 sts.

16th row - K12, sl 1, K2tog, pssso, K12 ... 25 sts.

18th row - K11, sl 1, K2tog, pssso, K11 ... 23 sts.

Using **C2**, **20th row** - K10, sl 1, K2tog, pssso, K10 ... 21 sts.

Using **C1**, **22nd row** - K9, sl 1, K2tog, pssso, K9 ... 19 sts.

Using **C2**, **24th row** - K8, sl 1, K2tog, pssso, K8 ... 17 sts.

26th row - K7, sl 1, K2tog, pssso, K7 ... 15 sts.

28th row - K6, sl 1, K2tog, pssso, K6 ... 13 sts.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles.

A 4.00mm (No 8) Circular Needle (60 cm long) or sizes needed to give correct tension.

- A Wool Needle for sewing up.

ABBREVIATIONS - See page 68.

Using **C3**, **30th row** - K5, sl 1, K2tog, pssso, K5 ... 11 sts.

Using **C2**, **32nd row** - K4, sl 1, K2tog, pssso, K4 ... 9 sts.

Using **C3** for rem, **34th row** - K3, sl 1, K2tog, pssso, K3 ... 7 sts.

36th row - K2, sl 1, K2tog, pssso, K2 ... 5 sts.

38th row - K1, sl 1, K2tog, pssso, K1 ... 3 sts.

39th row - K3tog.

Fasten off.

Using 4.00mm Circular Needle and **M**, beg at centre front, knit up 169 sts (21 sts per square) evenly around neck edge, picking up one extra st at centre back.

Note - A circular needle is used to accommodate the large number of sts.

Work backwards and forwards in rows, not rounds.

1st row - Knit.

2nd row (eyelet holes) - K1, * yfwd, K2tog, rep from * to end.


3rd row - Knit. Cast off loosely knitways.

NECKBAND

With right sides facing, lay out 21 squares for Front (see diagram below). Using wool needle and a flat seam (see below) sew squares together. Repeat with remaining squares for Back. Using wool needle and running stitch (see page 23) join Front and Back together at side seams.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using 6 strands of **C2** each 200 cm long, make a plait. Thread plait through eyelet holes and tie at centre front as pictured.



FLAT SEAM

This method is sometimes used for knitted garments but more often for crochet garments. A flat seam may be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric evenly together and sew stitch by stitch, always bringing the needle up from underneath to top through the centre of the stitch, then in same manner through corresponding stitch on second piece.

Note - Diagram shows knitted fabric, but method is the same for knitting or crochet. Always keep work elastic - there should be as much stretch in your seam as there is in the rest of your garment.



RUNNING STITCH SEAM

This is an easier and quicker method than back-stitch, yet gives the same neat appearance on the right side of the garment. It is worked from the right side, making the matching of stripes, Fair Isle and fancy patterns quite simple. The stitches should be taken **one knitted** stitch in from the edge so care must be taken to "unroll" edges of work as you go along. Use a knitters needle - this has a blunt end to avoid splitting the yarn.

Place the 2 pieces of knitting side by side, with right side uppermost. Leaving an end about 15 cm long (to be finished off later), insert the needle from wrong side to right side between the first and second rows on the left-hand piece of knitting (this is the only stitch which is taken from the wrong side). Move to the right-hand piece of knitting, insert needle between cast-on and first row and bring it out between second and third rows (thus picking up 2 cross bars). Return to left-hand piece, insert needle in same space as that in which yarn came out from previous stitch (between first and second rows) and pick up 2 cross bars. Continue working from side to side in this manner. Leave stitches about 1 cm wide until you have completed about 2 cm of stitching, then pull thread up fairly firmly to close seam. Yarn should be tight enough so that it does not show, but loose enough to allow the garment elasticity. Take care not to pull through the end left at the cast-on edge.

Check that pieces are even at the top of the rib and at any horizontal lines in the pattern (diagram has been shaded as in 2 row stripes to show the correct placement of stitches so that stripes will match perfectly). Finish the top of your seam with 1 or 2 straight stitches over the cast-off edge and run the end along the edge of the fabric down the seam for about 3 cm. Thread the end left at the cast-on edge into your needle and finish this off in the same way (take care that you take the stitches over the cast-on edge and not over the seam, and the lower edge of your garment will be perfectly straight, with no unsightly dip at the seam). If you have trouble matching your work at the top of the rib, you may find the following suggestion helpful - Use a thread long enough to join the entire seam. Leaving most of this thread free to join the main part of your seam, begin at the top of the rib and work towards the cast-on edge as follows-pick up the cross bars of the two top rib rows on the left-hand piece of knitting, move to the right-hand piece of knitting, leave **the top row of rib** free, then pick up the cross bars of the next 2 rows. Continue in this manner with the shorter end of your thread until you reach the cast-on edge and finish off as described before. Then thread the long end of the thread into your needle and complete the seam in the normal way. If this seam needs to be unpicked at any time, simply cut the thread at top and bottom and pull the thread out.





5. LACE STRIPE SWEATER

EASE OF KNITTING **▲▲▲** (intermediate knit, see page 17)

STITCHES USED - Lace pattern and Garter stitch

MEASUREMENTS

This garment is designed to be an easy fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENT MEASURES (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|------------------------|----|----|----|-----|-----|-----|-----|
| Length (approx) | cm | 63 | 64 | 65 | 66 | 67 | 68 |
| Sleeve length (approx) | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment.
Other yarns may give unsatisfactory results.
Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|--------------------------|---|---|---|---|---|---|
| 1st Contrast (C1) | 3 | 3 | 3 | 4 | 4 | 4 |
| 2nd Contrast (C2) | 3 | 3 | 3 | 4 | 4 | 4 |
| 3rd Contrast (C3) | 3 | 3 | 3 | 4 | 4 | 4 |
| 4th Contrast (C4) | 3 | 3 | 3 | 4 | 4 | 4 |
| 5th Contrast (C5) | 2 | 3 | 3 | 3 | 4 | 4 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Wool Needle for sewing up.

TENSION -

25 sts and 26 rows to 10 cm over patt, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 37 sts. Work 40 rows patt as for Back. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles and **C1**, cast on 109 (121-133-145-157-169) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg patt - 1st row (right side) - K1, * yfwd, K1, sl 1, K2tog, pssso, K1, yfwd, K1, rep from * to end.

2nd row - P1, * K5, P1, rep from * to end.


Last 2 rows form patt.

Work a further 29 (31-31-31-31-33) rows patt.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Using **C1**, patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row.
Using **C2** work 32 (34-34-34-34-36) rows patt.
Using **C3**, work 32 (34-34-34-34-36) rows patt.
Using **C4**, work 16 (10-10-10-10-4) rows patt ... 112 rows patt in all.

SHAPE ARMHOLES -

Note - When shaping in this pattern stitch, do not work the yfwd's unless you have sufficient stitches to work the corresponding sl 1, K2tog, pssso and vice versa.

Keeping patt correct and using **C4**, cast off 7 (9-10-12-13-15) sts at beg of next 2 rows ... 95 (103-113-121-131-139) sts.

Dec one st at each end of every row until 89 (93-99-107-113-117) sts rem, then in every foll alt row until 83 (87-93-99-105-109) sts rem.

Using **C4**, work a further 5 (11-9-7-5-11) rows patt without shaping. **

Using **C5** for rem, work 33 (27-31-33-35-31) rows patt.

Next row - K2 (4-3-6-5-7), K2tog, * K2, K2tog, rep from * to last 3 (5-4-7-6-8) sts, K3 (5-4-7-6-8) ... 63 (67-71-77-81-85) sts.

Knit 2 rows garter st.

Cast off loosely knitways.

FRONT

Work as for Back to **.

Using **C5** for rem, work 24 (18-20-22-24-18) rows patt.

SHAPE NECK -

Next row - Patt 23 (23-25-25-25-27), cast off next 37 (41-43-49-55-55) sts loosely in patt, patt to end.

Cont on these 23 (23-25-25-25-27) sts.

Dec one st at neck edge in every row until 15 sts rem.

Cast off in patt.

With wrong side facing, join **C5** to rem 23 (23-25-25-25-27) sts.

Dec one st at neck edge in every row until 15 sts rem. Cast off in patt.

SLEEVES

Using 4.00mm Needles and **C1**, cast on 49 (55-55-55-61-61) sts.

Work 112 rows patt in stripes as for Back to beg of armhole shaping, AT SAME TIME working extra sts into patt, inc one st at each end of 7th row, then in every foll 6th (6th-4th-alt-alt-alt) row 11 (14-12-3-7-15) times, then in every foll 8th (8th-6th-4th-4th-4th) row 3 (1-7-21-19-15) time/s ... 79 (87-95-105-115-123) sts.

SHAPE TOP -

Using C4 and keeping patt correct, cast off 4 (5-5-6-7-8) sts at beg of next 2 rows ... 71 (77-85-93-101-107) sts.

Work a further 36 (40-42-44-46-48) rows patt in stripes of 14 (22-22-22-22-30) rows C4 and 22 (18-20-22-24-18) rows C5, AT SAME TIME dec as follows - dec one st at each end of every row 3 times, then work 1 row without shaping, rep these last 4 rows until 23 (23-37-57-77-89) sts rem, then dec one st at each end of every row until 15 (15-17-17-17-17) sts rem.

Cast off in patt.

FRONT NECK EDGING

With right side facing, using 4.00mm Needles and C5, knit up 8 sts evenly across left shoulder cast off sts, 7 (7-9-9-9-11) sts evenly along left side of neck, 28 (30-32-36-40-40) sts evenly across cast off sts at centre front, 7 (7-9-9-9-11) sts evenly along right side of neck, then 8 sts evenly across right shoulder cast off sts ... 58 (60-66-70-74-78) sts.

Knit 3 rows garter st.

Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and a flat seam (see page 22), join Back and Front together at shoulders. Using wool needle and back-stitch, join side and sleeve seams, matching stripes. Sew in sleeves.

SHAPING IN LACY PATTERNS

It is most important to become familiar with the appearance of the pattern, so that you can decide on the best way to do your shaping.

Always look a little way into your row before shaping - e.g. If your row would normally begin with "K1, yfwd, K2tog" and you wish to decrease at the beginning of the row, it would be best to just omit the "yfwd" - this would decrease a stitch but still keep the line of the pattern following up. Similarly, if your row would normally begin with "K1, K2tog, yfwd", it would be best to work "K3tog, yfwd". If you decreased any number of stitches, and you are not sure how to begin and end your rows, remember - do not work a "yfwd" if you have no room in the pattern to "K2tog" or "sl 1, K1, pssso" to compensate for it and vice versa.

A piece of graph paper can be helpful in mapping out shapings in the pattern - draw your pattern out using suitable symbols for "yfwd" and "K2togs", then mark along the lines where you decreasing or increasing should be worked.

If you are still in doubt, it is a good idea to count the number of stitches on your needle after working each pattern row.



6. LACE SHRUG WITH EYELET EDGING

EASE OF KNITTING ▲▲▲ (intermediate knit, see page 17)

STITCHES USED - 1 x 1 Rib and Lace pattern.

MEASUREMENTS

One size fits most

| | | |
|----------------------------------|----|----|
| Width (approx from cuff to cuff) | cm | 80 |
| Depth (approx incl edging) | cm | 48 |

PATONS YARN REQUIRED -

IMPORTANT! Use only the yarn specified for this shrug.

Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

Quantity 4

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair each 6.00mm (No 4) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension.

- A Wool Needle for sewing up.

TENSION -

15 sts and 24 rows to 10 cm over lace patt, using 6.00mm Needles.

To work a 15 cm x 15 cm tension square, use 6.00mm Needles, cast on 23 sts.

Work 36 rows lace patt as for Shrug.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

SHRUG

Beg at cuff -

Using 4.00mm Needles, cast on 57 sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until cuff measures 7 cm from beg, ending with a 2nd row and inc one st at each end of last row ... 59 sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Change to 6.00mm Needles and beg lace patt.

1st row - K4, * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last st, K1.

2nd row - Purl.

3rd row - K1, * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last 4 sts, yfwd, sl 1, K2tog, pssso, yfwd, K1.

4th row - Purl.

Rows 1 to 4 incl form lace patt.

Cont in lace patt until work measures approx 73 cm from beg, ending with a purl row and dec one st at each end of last row ... 57 sts.

ABBREVIATIONS - See page 68.

Change to 4.00mm Needles.

Work in rib (as before) until cuff measures 7 cm, ending with a 2nd row.

Cast off in rib.

Using wool needle and back-stitch, join side edges of cuffs and 10 cm of lace pattern section.

EDGING (make 2 pieces)

Using 6.00mm Needles, cast on 2 sts.

Beg inc shaping - 1st and foll alt rows (wrong side) - Knit.

2nd row - K1, inc knitways in last st ... 3 sts.

4th row - K2, inc knitways in last st ... 4 sts.

6th row - K3, inc knitways in last st ... 5 sts.

8th row - K4, inc knitways in last st ... 6 sts.

10th row - K1, K2tog, yfwd, K2, (yfwd) twice, K1 ... 8 sts.

11th row - K2, K1 tbl, K2tog, yfwd, K3.

12th row - K1, K2tog, yfwd, K5.

13th row - Cast off 2 sts, leaving one st on right hand needle, K2tog, yfwd, K3 ... 6 sts.

Rows 10 to 13 incl form patt.

Cont in patt until work measures approx 51 cm or length required (slightly stretched) from beg, ending with a 13th patt row.

Beg dec shaping - 1st row (right side) - K4, K2tog ... 5 sts.

2nd and foll alt rows - Knit.

3rd row - K3, K2tog ... 4 sts.

5th row - K2, K2tog ... 3 sts.

7th row - K1, K2tog ... 2 sts.

9th row - K2tog. Fasten off.

Using wool needle, sew in all ends. Stitch edgings in place to side edges of Shrug. Stitch shaped side edges of edging pieces together.

PICKING UP DROPPED STITCHES

A dropped stitch can be picked up easily with a crochet hook, even if it has unraveled several rows down. To pick up knit stitches of stocking stitches, insert the crochet hook into the dropped stitch, draw through the bar lying above the dropped stitch and pull it through the loop of the dropped stitch as in the diagram.



SLIP-STITCH

This is the method used for turning up hems or stitching double neckbands in place. Work 1 stitch into each cast-on or cast-off stitch to be sure that the work will be elastic. Always be sure that the stitches follow up evenly and do not form a crooked line.





7. OPEN EYELET PONCHO

EASE OF KNITTING 📈📈 (easy knit, see page 17)

STITCH USED - Eyelet stitch

MEASUREMENTS

One size fits most

Width

(cast on edge of one piece) cm 35

Length cm 70

PATONS YARN REQUIRED -

IMPORTANT! Use only the yarn specified for this poncho.

Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

Quantity 4

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

TENSION -

16 sts and 24 rows to 10 cm over patt, using 5.00mm Needles.

To work approx a 13 cm x 13 cm tension square, use 5.00mm Needles, cast on 18 sts (noting there will be 21 sts after completing the base row).

Work base row then 31 rows patt as for poncho. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

Note - To achieve the desired effect, this poncho has been designed to be worked on bigger needles at a looser tension than usually recommended.

NEEDLES AND EXTRAS -

1 pair 5.00mm (No 6) Knitting Needles or size needed to give correct tension.

- A Wool Needle for sewing up.

ABBREVIATIONS - See page 68.

Drop Loop = drop the second loop of the double yarn round needle of the previous row off the needle. (The first loop has already been knitted).

PONCHO (make 2 pieces)

Using 5.00mm Needles, cast on 48 sts very loosely.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a poncho that is the wrong shape or size.

Base row (wrong side) - K3, * (yarn) twice, K2tog, K3, rep from * to end ... 57 sts.

Beg patt - 1st row - K5, * **Drop Loop**, (yarn) twice, K2tog, K3, rep from * to last 4 sts, **Drop Loop**, (yarn) twice, K2tog, K1.

2nd row - K3, * **Drop Loop**, K2, (yarn) twice, K2tog, K1, rep from * to end.



3rd row - K3, * **Drop Loop**, (yarn) twice, K2tog, K3, rep from * to end.

Rows 1 to 3 incl form patt.

Cont in patt until work measures 70 cm from beg,
working last row on wrong side.
Cast off very loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and a flat seam (see page 22), sew cast off edge of one piece (A-B) along one side edge (near cast on edge) (C-D) of other piece. Repeat for remaining cast off edge (E-F to G-H).



MAKE 1 (M1)

Pick up loop which lies before next stitch, place on left hand needle and knit (or purl) into back of loop.





8. SWEATER WITH LACE CUFFS

EASE OF KNITTING ▲▲ (easy knit, see page 17)

STITCHES USED - 1 x 1 Rib, Stocking stitch and Lace

MEASUREMENTS

This garment is designed to be a firm fit.

| Size | | XXS | XS | S | M | L | XL |
|-----------|----|-----|-------|-------|-------|---------|---------|
| Fits bust | cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENT MEASURES (approx with correct tension, at bust)

| | cm | 70 | 80 | 90 | 100 | 110 | 120 |
|---------------|----|----|----|----|-----|-----|-----|
| Length | cm | 53 | 54 | 55 | 56 | 57 | 58 |
| Sleeve Length | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|---|---|---|----|----|----|
| Quantity | 7 | 8 | 9 | 10 | 11 | 12 |
|----------|---|---|---|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair each 10.00mm (No 000) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension.

- 2 Stitch Holders.
- A Wool Needle for sewing up.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts. Work 42 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 73 (83-93-103-113-123) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until work measures 15 cm from beg, ending with a 2nd row.

Work in stocking st until work measures 35 cm from beg, ending with a purl row.

SHAPE ARMHOLES -

Cast off 3 (5-6-8-9-10) sts at beg of next 2 rows ... 67 (73-81-87-95-103) sts.

Dec one st at each end of next row, then in every foll alt row until 61 (65-69-73-79-83) sts rem. **

Cont without shaping until work measures 53 (54-55-56-57-58) cm from beg, ending with a purl row.

SHAPE SHOULDERS -

Cast off 6 (6-7-7-8-8) sts at beg of next 4 rows, then 6 (7-6-7-7-8) sts at beg of foll 2 rows.

Leave rem 25 (27-29-31-33-35) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont without shaping until work measures 8 (8-9-9-10-10) cm less than Back to beg of shoulder shaping, ending with a purl row.

SHAPE NECK -

Next row - K24 (25-27-29-32-33), turn.

*** Cont on these 24 (25-27-29-32-33) sts.

Dec one st at neck edge in every foll alt row until 18 (19-20-21-23-24) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 6 (6-7-7-8-8) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (7-6-7-7-8) sts. ***

Slip next 13 (15-15-15-15-17) sts onto a stitch-holder and leave.

Join yarn to rem sts and knit to end.

Rep from *** to ***, working 1 row more before shoulder shaping.

SLEEVES

Using 10.00mm Needles, cast on 44 (48-52-56-60-64) sts.

Beg patt - 1st row - * K1, yrn, P2tog, K1, rep from * to end.

Rep 1st row for patt until work measures 12 cm from beg, working last row on wrong side.

Change to 4.00mm Needles.

Work 4 rows stocking st.

Next row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 16th (12th-10th-8th-6th-4th) row until there are 52 (54-60-62-68-68) sts, then in every foll 18th (14th-12th-10th-8th-6th) row until there are 54 (60-66-72-80-88) sts.

Cont without shaping until work measures 43 cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 (3-3-4-5-5) sts at beg of next 2 rows ... 50 (54-60-64-70-78) sts.

Dec one st at each end of next row, then in every foll alt row until 16 (16-24-28-36-48) sts rem, then in every row until 14 sts rem.

Cast off.

NECKBAND

Using wool needle and back-stitch, join right shoulder seam. With right side facing and using 4.00mm Needles, knit up 22 (22-26-26-28-28) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 22 (22-26-26-28-28) sts evenly along right side of neck, then knit across sts from back stitch-holder - inc one st in centre ... 83 (87-97-99-105-109) sts.

Work 25 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join left shoulder and neckband seam. Join side and sleeve seams. Sew in sleeves.



9. SHAPED CLASSIC SWEATER

With sleeve length options

EASE OF KNITTING ▲▲ (easy knit, see page 17)

STITCHES USED - 1 x 1 Rib and Stocking stitch

MEASUREMENTS

Size

Fits bust

These garments are designed to be a firm fit.

| | XXS | XS | S | M | L | XL |
|----|-----|-------|-------|-------|---------|---------|
| cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENTS MEASURE (approx with correct tension at bust)

| | cm | 70 | 80 | 90 | 100 | 110 | 120 |
|---------------------|----|----|----|----|-----|-----|-----|
| Length | cm | 53 | 54 | 55 | 56 | 57 | 58 |
| Short Sleeve Length | cm | 10 | 11 | 12 | 13 | 14 | 15 |
| 3/4 Sleeve Length | cm | 32 | 32 | 32 | 32 | 32 | 32 |
| Long Sleeve Length | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------------------|---|---|----|----|----|----|
| Short Sleeve Sweater | 5 | 6 | 7 | 8 | 9 | 10 |
| 3/4 Sleeve Sweater | 7 | 8 | 9 | 10 | 11 | 12 |
| Long Sleeve Sweater | 8 | 9 | 10 | 11 | 12 | 13 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- 2 Stitch Holders.
- A Wool Needle for sewing up.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts.

Work 42 rows stocking st. Cast off loosely. Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 73 (**83-93-103-113-123**) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 6 times ... 14 rows rib in all.

Work in stocking st, dec one st at each end of foll 3rd row, then in every foll 4th row until 61 (**71-81-91-101-111**) sts rem.

Work 9 rows without shaping.

Inc one st at each end of next row, then in every foll 6th row until there are 73 (**83-93-103-113-123**) sts.

Cont without shaping until work measures 35 cm from beg, ending with a purl row.

SHAPE ARMHOLES -

Cast off 3 (**5-6-8-9-10**) sts at beg of next 2 rows ... 67 (**73-81-87-95-103**) sts.

Dec one st at each end of next row, then in every foll alt row until 61 (**65-69-73-79-83**) sts rem. **

Cont without shaping until work measures 53 (**54-55-56-57-58**) cm from beg, ending with a purl row.

SHAPE SHOULDERS -

Cast off 6 (**6-7-7-8-8**) sts at beg of next 4 rows, then 6 (**7-6-7-7-8**) sts at beg of foll 2 rows.

Leave rem 25 (**27-29-31-33-35**) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont without shaping until work measures 8 (**9-9-9-10-10**) cm less than Back to beg of shoulder shaping, ending with a purl row.

SHAPE NECK -

Next row - K24 (**26-28-29-32-33**), turn.

*** Cont on these 24 (**26-28-29-32-33**) sts.

Dec one st at neck edge in every foll alt row until 18 (**19-20-21-23-24**) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 6 (**6-7-7-8-8**) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (**7-6-7-7-8**) sts. ***

Slip next 13 (**13-13-15-15-17**) sts onto a stitch-holder and leave.

Join yarn to rem sts and knit to end.

Rep from *** to ***, working 1 row more before shoulder shaping.

SHORT SLEEVE OPTION

Using 4.00mm Needles, cast on 51 (**57-63-71-79-87**) sts.

Work 8 rows rib as for Back.

Work in stocking st until sleeve measures 10 (**11-12-13-14-15**) cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 (**3-3-4-5-5**) sts at beg of next 2 rows ... 47 (**51-57-63-69-77**) sts.

Sizes XXS and XS only -

Dec one st at each end of next row, then in every foll 4th row until 41 (**47**) sts rem, then in every foll alt row until 15 sts rem.

Work 1 row.

Cast off.

Sizes S, M, L and XL only -

Dec one st at each end of next row, then in every foll alt row until (**17-25-33-45**) sts rem, then in every row until 15 sts rem.

Cast off.

3/4 SLEEVE OPTION

Using 4.00mm Needles, cast on 43 (**47-49-55-59-65**) sts.

Work 8 rows rib as for Back.

Work 4 rows stocking st.

5th row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 20th (**14th-10th-8th-6th-6th**) row until there are 49 (**51-61-65-71-85**) sts, then in every foll 22nd (**16th-12th-10th-8th-8th**) row until there are 51 (**57-63-71-79-87**) sts.

Cont without shaping until work measures 32 cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Complete as for **Short Sleeve Option**.

LONG SLEEVE OPTION

Using 4.00mm Needles, cast on 39 (**41-43-45-47-49**) sts.

Work 8 rows rib as for Back.

Work 4 rows stocking st.

5th row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 18th (**12th-10th-6th-6th-4th**) row until there are 49 (**49-61-51-77-67**) sts, then in every foll 20th (**14th-12th-8th-8th-6th**) row until there are 51 (**57-63-71-79-87**) sts.

Cont without shaping until work measures 43 cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Complete as for **Short Sleeve Option**.

NECKBAND

Using wool needle and back-stitch, join right shoulder seam. With right side facing and using 4.00mm Needles, knit up 22 (**26-26-26-28-28**) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 22 (**26-26-26-28-28**) sts evenly along right side of neck, then knit across sts from back stitch-holder - dec one st in centre ... 81 (**91-93-97-103-107**) sts.


Work 9 rows rib as for Back, beg with a 2nd row. Cast off loosely in rib.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join left shoulder and neckband seam. Join side and sleeve seams. Sew in sleeves.

SEWING IN SET - IN SLEEVES

Pin sleeve into position in armhole, matching underarm seams, and centre of top edge with shoulder seam. Either sew from right side using running stitch or from wrong side using back-stitch.





10. SHAPED CLASSIC CARDIGAN

With sleeve length options

EASE OF KNITTING ▲▲ (easy knit, see page 17)

STITCHES USED - 1 x 1 Rib and Stocking stitch

MEASUREMENTS

These garments are designed to be a firm fit.

| Size | | XXS | XS | S | M | L | XL |
|-----------|----|------------|-----------|----------|----------|----------|-----------|
| Fits bust | cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENTS MEASURE (approx with correct tension at bust)

| | cm | 72 | 82 | 92 | 102 | 112 | 122 |
|---------------------|----|-----------|-----------|-----------|------------|------------|------------|
| Length | cm | 53 | 54 | 55 | 56 | 57 | 58 |
| Short Sleeve Length | cm | 10 | 11 | 12 | 13 | 14 | 15 |
| 3/4 Sleeve Length | cm | 32 | 32 | 32 | 32 | 32 | 32 |
| Long Sleeve Length | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|-----------------------|---|---|----|----|----|----|
| Short Sleeve Cardigan | 5 | 6 | 7 | 8 | 9 | 10 |
| 3/4 Sleeve Cardigan | 7 | 8 | 9 | 10 | 11 | 12 |
| Long Sleeve Cardigan | 8 | 9 | 10 | 11 | 12 | 13 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- 3 Stitch Holders.
- A Wool Needle for sewing up.
- 10 Buttons.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts. Work 42 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 75 (85-95-105-115-125) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 6 times ... 14 rows rib in all.

Work in stocking st, dec one st at each end of foll 3rd row, then in every foll 4th row until 63 (73-83-93-103-113) sts rem.

Work 9 rows without shaping.

Inc one st at each end of next row, then in every foll 6th row until there are 75 (85-95-105-115-125) sts.

Cont without shaping until work measures 35 cm from beg, ending with a purl row.

SHAPE ARMHOLES -

Cast off 4 (5-7-8-9-11) sts at beg of next 2 rows ... 67 (75-81-89-97-103) sts.

Dec one st at each end of next row, then in every foll alt row until 61 (65-69-73-79-83) sts rem.

Cont without shaping until work measures 53 (54-55-56-57-58) cm from beg, ending with a purl row.

SHAPE SHOULDERS -

Cast off 6 (6-7-7-8-8) sts at beg of next 4 rows, then 6 (7-6-7-7-8) sts at beg of foll 2 rows.

Leave rem 25 (27-29-31-33-35) sts on a stitch-holder.

LEFT FRONT

Using 4.00mm Needles, cast on 41 (47-51-57-61-67) sts.

Work 13 rows rib as for Back.

14th row - Rib 7, slip these 7 sts onto a stitch-holder and leave for Left Front Band, rib to end, dec one st in centre ... 33 (39-43-49-53-59) sts.

Work in stocking st, dec one st at beg (side edge) of foll 3rd row, then in every foll 4th row until 27 (33-37-43-47-53) sts rem.

Work 9 rows without shaping.

Inc one st at beg (side edge) of next row, then in every foll 6th row until there are 33 (39-43-49-53-59) sts.

Cont without shaping until work measures same as Back to beg of armhole shaping, ending with a purl row.

SHAPE ARMHOLE -

Cast off 4 (5-7-8-9-11) sts at beg of next row ... 29 (34-36-41-44-48) sts.

Dec one st at armhole edge in every foll alt row until 26 (29-30-33-35-38) sts rem.

Cont without shaping until work measures 6 (6-6-7-8-8) cm less than Back to beg of shoulder shaping, ending with a knit row.

SHAPE NECK -

Next row - Cast off 4 (6-6-6-6-7) sts, purl to end ... 22 (23-24-27-29-31) sts.

Dec one st at neck edge in every row until 19 (20-21-24-26-28) sts rem, then in every foll alt row until 18 (19-20-21-23-24) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 6 (6-7-7-8-8) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (7-6-7-7-8) sts.

RIGHT FRONT

Using 4.00mm Needles, cast on 41 (47-51-57-61-67) sts.

Work 4 rows rib as for Back.

5th row - Rib 2, cast off 3 sts, rib to end.

6th row - Rib to last 2 sts, turn, cast on 3 sts, turn, rib 2 ... buttonhole.

Work 7 rows rib.

14th row - Rib to last 7 sts, dec one st in centre, turn, slip rem 7 sts onto a stitch-holder and leave for Right Front Band ... 33 (39-43-49-53-59) sts.

Work in stocking st, dec one st at end (side edge) of foll 3rd row, then in every foll 4th row until 27 (33-37-43-47-53) sts rem.

Work 9 rows without shaping.

Inc one st at end (side edge) of next row, then in every foll 6th row until there are 33 (39-43-49-53-59) sts.

Cont without shaping until work measures same as Back to beg of armhole shaping, ending with a knit row.

SHAPE ARMHOLE -

Cast off 4 (5-7-8-9-11) sts at beg of next row ... 29 (34-36-41-44-48) sts.

Dec one st at armhole edge in next row, then in every foll alt row until 26 (29-30-33-35-38) sts rem.

Cont without shaping until work measures 6 (6-6-7-8-8) cm less than Back to beg of shoulder shaping, ending with a purl row.

SHAPE NECK -

Next row - Cast off 4 (6-6-6-6-7) sts, knit to end ... 22 (23-24-27-29-31) sts.

Dec one st at neck edge in every row until 19 (20-21-24-26-28) sts rem, then in every foll alt row until 18 (19-20-21-23-24) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a knit row.

SHAPE SHOULDER -

Cast off 6 (6-7-7-8-8) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (7-6-7-7-8) sts.

SHORT SLEEVE OPTION

Using 4.00mm Needles, cast on 55 (61-67-73-81-89) sts.

Work 8 rows rib as for Back.

Work in stocking st until sleeve measures 10 (11-12-13-14-15) cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 (3-4-4-5-6) sts at beg of next 2 rows ... 51 (55-59-65-71-77) sts.

Dec one st at each end of next row, then in every foll alt row until 17 (17-21-29-37-45) sts rem, then in every row until 15 sts rem. Cast off.

3/4 SLEEVE OPTION

Using 4.00mm Needles, cast on 45 (49-53-57-61-67) sts.

Work 8 rows rib as for Back.

Work 4 rows stocking st.

5th row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 12th (10th-8th-6th-6th-4th) row until there are 49 (55-59-61-79-73) sts, then in every foll 14th (12th-10th-8th-8th-6th) row until there are 55 (61-67-73-81-89) sts.

Cont without shaping until work measures 32 cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Complete as for **Short Sleeve Option**.

LONG SLEEVE OPTION

Using 4.00mm Needles, cast on 43 (45-47-49-51-53) sts.

Work 8 rows rib as for Back.

Work 4 rows stocking st.

5th row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 16th (12th-8th-6th-6th-4th) row until there are 49 (59-53-53-79-71) sts, then in every foll 18th (14th-10th-8th-8th-6th) row until there are 55 (61-67-73-81-89) sts.

Cont without shaping until work measures 43 cm (or length desired) from beg, ending with a purl row.

SHAPE TOP -

Complete as for **Short Sleeve Option**.

LEFT FRONT BAND

With right side facing and using 4.00mm Needles, rib across 7 sts from Left Front stitch-holder.

Work 113 rows rib.

Break off yarn.

Leave sts on a spare needle.

RIGHT FRONT BAND

With wrong side facing and using 4.00mm Needles, rib across 7 sts from Right Front stitch-holder.

Work 4 rows rib.

Next row - Rib 2, cast off 3 sts, rib 2.

Next row - Rib 2, turn, cast on 3 sts, turn, rib 2 ... buttonhole.

Work 12 rows rib.

Rep last 14 rows 6 times, then buttonhole rows once ... 9 buttonholes.

Work 9 rows rib.

Do not break off yarn.

Leave sts on needle.

NECKBAND

Using wool needle and back-stitch, join shoulder seams.

With right side facing and holding 4.00mm Needle with Right Front Band sts, knit up 21 (23-23-27-29-30) sts evenly along right side of neck, knit across sts from back stitch-holder, knit up 21 (23-23-27-29-30) sts evenly along left side of neck, then rib across sts from Left Front Band needle ... 81 (87-89-99-105-109) sts.


Work 9 rows rib, working a buttonhole (as before) in 4th and 5th rows. Cast off loosely in rib.

MAKE UP


DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and sleeve seams. Sew in sleeves. Using wool needle and a flat seam (see page 22), sew front bands in position. Sew on buttons.

TENSION SQUARE

The instructions given in the tension paragraph of a knitting pattern will be either for working in stocking stitch or in pattern stitch. For either there should be enough stitches for at least 15 cm in width. Work in pattern or stocking stitch according to the wording of the tension paragraph until the piece measures at least 15 cm in length. To check the stitch tension place a pin vertically into the fabric a few stitches from the side edge. Measure 10 cm carefully and insert a second pin. Count the stitches. If the number of stitches between the pins is less than that specified in the pattern, your garment will be too wide. Use one size smaller needles to knit another swatch and measure the stitches again. If there are more stitches than specified, your garment will be too small. Change to one size larger needles, knit another swatch and measure the stitches again.



Counting stitches



Counting rows

To check the row tension place a pin horizontally in the fabric a few rows from cast on edge. Measure 10 cm carefully and insert a second pin. Count the rows. If the number of rows between the pins is less than the number specified in the pattern, your garment will be too short. If you cannot obtain the tension exactly right on stitches and rows, decide which is more important. Generally it is better to obtain the width measurement correct, as lengths can usually be adjusted during knitting by adjusting the length to underarm or the sleeve length. These lengths are usually given as a measurement and not in rows. Your tension will become more even the more you practice knitting.



11. WRAP JACKET WITH LACE TRIM

EASE OF KNITTING ▲▲▲ (intermediate knit, see page 17)

STITCHES USED - Stocking stitch, Garter stitch & Lace

MEASUREMENTS

This garment is designed to be a firm fit.

| Size | | XXS | XS | S | M | L | XL |
|-----------|----|-----|-------|-------|-------|---------|---------|
| Fits bust | cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENT MEASURES (approx with correct tension)

| | cm | 70 | 80 | 90 | 100 | 110 | 120 |
|------------------------|----|----|----|----|-----|-----|-----|
| Length (approx) | cm | 53 | 54 | 55 | 56 | 57 | 58 |
| Sleeve Length (approx) | cm | 35 | 35 | 35 | 35 | 35 | 35 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| Quantity | 7 | 8 | 9 | 10 | 11 | 12 |
|----------|---|---|---|----|----|----|
|----------|---|---|---|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair each 7.00mm (No 2) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension.

- A Wool Needle for sewing up.
- A Purchased Clip.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts. Work 42 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK


Using 4.00mm Needles, cast on 72 (**82-92-102-112-122**) sts.

Work in stocking st until work measures 15 cm from beg, ending with a knit row.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Purl to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 35 (**40-45-50-55-60**) cm, if your **tension** is correct.



- If **correct**, purl to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in stocking st until work measures 26 cm (9 cm has been allowed for edging) from beg, ending with a purl row.

SHAPE ARMHOLES -

Cast off 3 (**5-6-8-9-10**) sts at beg of next 2 rows ... 66 (**72-80-86-94-102**) sts.

Dec one st at each end of next row, then in every foll alt row until 60 (**64-68-72-78-82**) sts rem.

Cont without shaping until work measures 40 (**41-42-43-44-45**) cm from beg, ending with a purl row.

SHAPE BACK NECK -

Next row - K20 (**21-22-23-25-26**), cast off next 20 (**22-24-26-28-30**) sts loosely knitways, knit to end.

**** Cont on these 20 (**21-22-23-25-26**) sts.**

Dec one st at neck edge in every row until 9 (**10-11-12-14-15**) sts rem.

Next row - Knit.

SHAPE SHOULDER -

Cast off 5 (**5-6-6-7-8**) sts at beg of next row.

Work 1 row. Cast off rem 4 (**5-5-6-7-7**) sts. ******

With wrong side facing, join yarn to rem sts.

Rep from ****** to ******, working 1 row **less** before shoulder shaping.

LEFT FRONT

Using 4.00mm Needles, cast on 2 sts.

Working in stocking st, casting on 2 (**2-3-3-3-3**) sts at **beg** (front edge) of every foll alt row until there are 16 (**22-26-32-38-44**) sts.

Work 2 rows stocking st.

Inc one st **end** (front edge) of next row, then in every foll 4th row until there are 27 (**32-37-42-47-52**) sts.

Cont without shaping until work measures same as Back to beg of armhole shaping, ending with a purl row.

SHAPE ARMHOLE AND FRONT SLOPE -

Cast off 3 (**5-6-8-9-10**) sts at beg of next row ... 24 (**27-31-34-38-42**) sts.

Dec one st at armhole edge in every foll alt row 3 (**4-6-7-8-10**) times, AT SAME TIME dec one st at **end** (front edge) in every foll alt row 4 (**5-6-6-7-8**) times, then in every foll 4th row until 9 (**10-11-12-14-15**) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 5 (5-6-6-7-8) sts at beg of next row.

Work 1 row. Cast off rem 4 (5-5-6-7-7) sts.

RIGHT FRONT

Using 4.00mm Needles, cast on 2 sts.

Work 2 rows stocking st.

Cont in stocking st, casting on 2 (2-3-3-3-3) sts at beg (front edge) of next row, then in every foll alt row until there are 16 (22-26-32-38-44) sts.

Next row - Purl.

Inc one st beg (front edge) of next row, then in every foll 4th row until there are 27 (32-37-42-47-52) sts.

Cont without shaping until work measures same as Back to beg of armhole shaping, ending with a knit row.

SHAPE ARMHOLE AND FRONT SLOPE -

Cast off 3 (5-6-8-9-10) sts at beg of next row ... 24 (27-31-34-38-42) sts.

Dec one st at armhole edge in next row, then in every foll alt row 2 (3-5-6-7-9) times, AT SAME TIME dec one st at beg (front edge) in next row, then in every foll alt row 3 (4-5-5-6-7) times, then in every foll 4th row until 9 (10-11-12-14-15) sts rem. Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a knit row.

SHAPE SHOULDER -

Cast off 5 (5-6-6-7-8) sts at beg of next row.

Work 1 row. Cast off rem 4 (5-5-6-7-7) sts.

SLEEVES

Using 4.00mm Needles, cast on 44 (46-48-50-52-54) sts.

Knit 5 rows garter st (1st row is wrong side).

Work 2 rows stocking st.

Next row - K2, M1 (see page 30), knit to last 2 sts, M1, K2.

Cont inc one st (as before) at each end of every foll 16th (12th-8th-4th-4th-alt) row until there are 48 (52-58-64-74-84) sts, then in every foll 18th (14th-10th-6th-6th-4th) row until there are 52 (56-62-70-78-86) sts.

Cont without shaping until work measure 26 cm (or 9 cm less than length desired to allow for edging) from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 (3-3-4-5-5) sts at beg of next 2 rows ... 48 (50-56-62-68-76) sts.

Dec one st at each end of next row, then in every foll 4th (4th-alt-alt-alt-alt) row until 44 (46-16-24-32-44) sts rem, then in every foll alt (alt-every-every-every-every) row until 14 sts rem.

Work 1 (1-0-0-0-0) row/s. Cast off.

BACK AND FRONTS EDGING

Using wool needle and back-stitch, join shoulder and side seams.

Using 7.00mm Needles, cast on 11 sts.

Next row (wrong side) - Knit.

Beg patt - 1st row (right side) - K3, (yfwd, sl 1, K1, psso, K1) twice, (yfwd) twice, K1, (yfwd) twice, K1 ... 15 sts.

2nd row - (K2, P1) 4 times, K3, noting that each double yfwd from previous row is treated as 2 sts, the first being knitted and the second being purled.

3rd row - K3, yfwd, sl 1, K1, psso, K1, yfwd, sl 1, K1, psso, K7.

4th row - Cast off 4 sts, K3, P1, K2, P1, K3 ... 11 sts.

Rows 1 to 4 incl form patt.

Cont in patt until edging fits evenly around left half of centre back neck shaping, along left front edge, cast on edge of back, right front edge, then around rem half of centre back neck shaping, ending with a 4th patt row. Cast off knitways.

SLEEVE EDGINGS

Using wool needle and back-stitch, join sleeve seams. Work as for Back and Fronts Edging until edging fits evenly around cast on edge of Sleeves.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, sew in sleeves. Join cast on and cast off edges of sleeve edgings together. Sew sleeve edgings to sleeves, matching seam on edgings to seam on sleeves. Sew back and fronts edging to Jacket, beginning and ending at centre back neck shaping and easing to fit. Join cast on and cast off edges of edging together. Place Right Front over Left Front and secure with a purchased clip as pictured.



12. SCALLOP HEM TOP

EASE OF KNITTING ▲▲▲ (intermediate knit, see page 17)

STITCHES USED - Garter stitch, Stocking stitch and Lace

MEASUREMENTS

Size

Fits bust

This garment is designed to be an easy fit.

| | XXS | XS | S | M | L | XL |
|----|-----|-------|-------|-------|---------|---------|
| cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENT MEASURES (approx with correct tension)

| | cm | 75 | 85 | 95 | 105 | 115 | 125 |
|--------|----|----|----|----|-----|-----|-----|
| Length | cm | 53 | 54 | 55 | 56 | 57 | 58 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|---|---|---|---|---|----|
| Quantity | 5 | 6 | 7 | 8 | 9 | 10 |
|----------|---|---|---|---|---|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension.

- 2 Stitch Holders.
- A Wool Needle for sewing up.

TENSION -

22 sts and 29 rows to 10 cm over patt, using 4.00mm Needles.

To work approx a 19 cm x 15 cm tension square, use 4.00mm Needles, cast on 42 sts. Work 44 rows patt as for Back working from * to * of each patt row twice.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 3.25mm Needles, cast on 83 (93-103-113-123-133) sts.

Knit 6 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

Next row - Purl.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg patt - 1st row (right side) - K10 (15-20-25-30-35), * K4, K2tog, K4, yfwd, K1, yfwd, K4, sl 1, K1, pssso, K4, rep from * to last 10 (15-20-25-30-35) sts, K10 (15-20-25-30-35).

2nd, 4th and 6th rows - Purl.

3rd row - K10 (15-20-25-30-35), * K3, K2tog, K4, yfwd, K3, yfwd, K4, sl 1, K1, pssso, K3, rep from * to last 10 (15-20-25-30-35) sts, K10 (15-20-25-30-35).

5th row - K10 (15-20-25-30-35), * K2, K2tog, K4, yfwd, K5, yfwd, K4, sl 1, K1, pssso, K2, rep from * to last 10 (15-20-25-30-35) sts, K10 (15-20-25-30-35).

7th row - K10 (15-20-25-30-35), * K1, K2tog, K4, yfwd, K2, P3, K2, yfwd, K4, sl 1, K1, pssso, K1, rep from * to last 10 (15-20-25-30-35) sts, K10 (15-20-25-30-35).

8th row - P10 (15-20-25-30-35), * P9, K3, P9, rep from * to last 10 (15-20-25-30-35) sts, P10 (15-20-25-30-35).

9th row - K10 (15-20-25-30-35), * K2tog, K4, yfwd, K3, P3, K3, yfwd, K4, sl 1, K1, pssso, rep from * to last 10 (15-20-25-30-35) sts, K10 (15-20-25-30-35).

10th row - Purl.


Rows 1 to 10 incl form patt.

Cont in patt until work measures 15 cm from beg, working last row on right side.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 38 (43-48-53-58-63) cm, if your tension is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in patt until work measures 34 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Note - Care must be taken when shaping in this pattern stitch. Do not work a yfwd unless you have sufficient sts to work a K2tog or sl 1, K1, pssso to compensate for it, and vice versa.

Keeping patt correct, cast off 4 (6-7-9-10-11) sts at beg of next 2 rows ... 75 (81-89-95-103-111) sts. Dec one st at each end of next row, then in every foll alt row until 67 (71-75-79-85-91) sts rem. **

Cont in patt without shaping until work measures 53 (54-55-56-57-58) cm from beg, working last row on wrong side.

SHAPE SHOULDERS -

Cast off 5 (6-6-6-7-7) sts at beg of next 4 rows, then 6 (5-6-7-6-8) sts at beg of foll 2 rows. Leave rem 35 (37-39-41-45-47) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont in patt without shaping until work measures 6 (7-7-7-8-8) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK -

Next row - Patt 24 (26-28-29-32-34), turn.

*** Cont on these 24 (26-28-29-32-34) sts.

Dec one st at neck edge in every row until 16 (17-18-19-20-22) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 5 (6-6-6-7-7) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (5-6-7-6-8) sts. ***

Slip next 19 (19-19-21-21-23) sts onto a stitch-holder and leave.

Join yarn to rem sts and patt to end.

Rep from *** to ***, working 1 row more before shoulder shaping.

NECK EDGING

Using wool needle and back-stitch, join right shoulder seam. With right side facing and using 3.25mm Needles, knit up 12 (14-14-14-16-16) sts evenly along left side of neck, knit across sts from front stitch-holder - dec 2 sts evenly across, knit up 12 (14-14-14-16-16) sts evenly along right side of neck, then knit across sts from back stitch-holder - dec 3 sts evenly across ... 73 (79-81-85-93-97) sts.

Next row - Knit. Cast off loosely knitways.

ARMHOLE EDGINGS

Using wool needle and back-stitch, join left shoulder and neck edging seam. With right side facing and using 3.25mm Needles, knit up 84 (92-98-106-112-118) sts evenly along armhole edge.

Next row - Knit.

Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and armhole edging seams.

NEATENING THE SIDE EDGE OF YOUR CAST ON

Before slipping the **last** cast-on stitch on to the left-hand needle, pass the yarn from back to front between the points of the two needles, then slip the stitch on to the left-hand needle. This prevents a curved edge on the last stitch.





13. CLASSIC TEXTURE JACKET

With sleeve options

EASE OF KNITTING 🐼🐼🐼 (intermediate knit, see page 17)

STITCHES USED - Garter stitch and Texture stitch

MEASUREMENTS

These garments are designed to be an easy fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENTS MEASURE (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|-----------------------------|----|----|----|-----|-----|-----|-----|
| Length | cm | 54 | 55 | 56 | 57 | 58 | 59 |
| 3/4 Sleeve Length (approx) | cm | 32 | 32 | 32 | 32 | 32 | 32 |
| Long Sleeve Length (approx) | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|--------------------|----|----|----|----|----|----|
| 3/4 Sleeve Jacket | 10 | 11 | 12 | 13 | 14 | 15 |
| Long Sleeve Jacket | 11 | 12 | 13 | 14 | 15 | 16 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Stitch Holder.
- A Wool Needle for sewing up.
- 1 Button.

ABBREVIATIONS - See page 68.

C2F = knit into front of 2nd st on left hand needle, then knit into front of first st, slipping both sts off needle together.

C2B = knit into back of 2nd st on left hand needle, then knit into front of first st, slipping both sts off needle together.

TENSION -

23 sts and 30 rows to 10 cm over patt, using 4.00mm Needles.

To work approx a 14 cm x 14 cm tension square, use 4.00mm Needles, cast on 32 sts. Work 42 rows patt as for Back.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

BACK

Using 4.00mm Needles, cast on 82 (92-102-112-120-130) sts.

Knit 4 rows garter st (1st row is wrong side).

Next row - K3 (3-3-3-10-11), * inc in next st, K4 (4-4-4-3-3), rep from * to last 4 (4-4-4-10-11) sts, inc in next st, K3 (3-3-3-9-10) ... 98 (110-122-134-146-158) sts.

Beg patt - 1st row - Knit.

2nd row - Purl.

Rep 1st and 2nd rows once.

5th row - P2, * C2F, C2B, P2, rep from * to end.

6th row - K2, * P4, K2, rep from * to end.


Rows 1 to 6 incl form patt.

Cont in patt until work measures 15 cm from beg, working last row on right side.



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in patt until work measures 34 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Keeping patt correct, cast off 6 (8-10-11-13-15) sts at beg of next 2 rows ... 86 (94-102-112-120-128) sts.

Dec one st at each end of every row until 76 (80-84-92-96-100) sts rem.

Cont in patt without shaping until work measures 54 (55-56-57-58-59) cm from beg, working last row on wrong side.

SHAPE SHOULDERS -

Cast off 7 (8-8-9-9-9) sts at beg of next 4 rows, then 8 (7-8-8-9-10) sts at beg of foll 2 rows.

Leave rem 32 (34-36-40-42-44) sts on a stitch-holder.

LEFT FRONT

Using 4.00mm Needles, cast on 42 (47-52-57-61-66) sts.

Knit 4 rows garter st (1st row is wrong side).

Next row - K3 (3-3-3-0-0), * inc in next st, K4, rep from * to last 4 (4-4-4-1-1) st/s, inc in next st, K3 (3-3-3-0-0) ... 50 (56-62-68-74-80) sts.

Beg patt - Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row. **

SHAPE ARMHOLE -

Keeping patt correct, cast off 6 (8-10-11-13-15) sts at beg of next row ... 44 (48-52-57-61-65) sts.

Work 1 row patt.

Dec one st at armhole edge in every row until 39 (41-43-47-49-51) sts rem.

Cont in patt without shaping until work measures 7 (7-7-7-8-8) cm **less** than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK -

Next row - Cast off 8 (8-9-10-10-11) sts, patt to end ... 31 (33-34-37-39-40) sts.

Dec one st at neck edge in every row until 22 (23-24-26-27-28) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 7 (8-8-9-9-9) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 8 (7-8-8-9-10) sts.

RIGHT FRONT

Work as for Left Front to **.

Work 1 row patt.

SHAPE ARMHOLE -

Keeping patt correct, cast off 6 (8-10-11-13-15) sts at beg of next row ... 44 (48-52-57-61-65) sts.

Dec one st at armhole edge in every row until 39 (41-43-47-49-51) sts rem.

Cont in patt without shaping until work measures 7 (7-7-7-8-8) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK -

Next row - Cast off 8 (8-9-10-10-11) sts, patt to end ... 31 (33-34-37-39-40) sts.

Work 1 row patt.

Dec one st at neck edge in every row until 22 (23-24-26-27-28) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER -

Cast off 7 (8-8-9-9-9) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 8 (7-8-8-9-10) sts.

3/4 SLEEVE OPTION

Using 4.00mm Needles, cast on 50 (54-56-60-64-68) sts.

Knit 4 rows garter st (1st row is wrong side).

Next row - K2 (2-0-5-0-0), * inc in next st, K8 (6-4-6-6-5), rep from * to last 3 (3-1-6-1-2) st/s, inc in next st, K2 (2-0-5-0-1) ... 56 (62-68-68-74-80) sts.

Beg patt - Work rows 1 to 6 incl as for Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 8th (8th-6th-4th-4th-4th) row until there are 68 (76-74-80-98-104) sts, then in every foll 10th (10th-8th-6th-6th-6th) row until there are 74 (80-88-96-106-112) sts.

Cont in patt without shaping until work measures approx 32 cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.

SHAPE TOP -

Keeping patt correct, cast off 3 (4-5-6-7-8) sts at beg of next 2 rows ... 68 (72-78-84-92-96) sts.

Dec one st at each end of next row, then in every foll alt row until 30 (34-42-50-62-62) sts rem, then in every row until 16 sts rem.

Cast off.

LONG SLEEVE OPTION

Using 4.00mm Needles, cast on 42 (44-46-48-50-52) sts.

Knit 4 rows garter st (1st row is wrong side).

Next row - K3 (4-0-3-3-3), * inc in next st, K4 (6-4-5-3-4), rep from * to last 4 (5-1-3-3-4) st/s, inc in next st, K3 (4-0-2-2-3) ... 50 (50-56-56-62-62) sts.

Beg patt - Work rows 1 to 6 incl as for Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 8th (6th-6th-4th-4th-4th) row until there are 60 (62-76-70-88-106) sts, then in every foll 10th (8th-8th-6th-6th-6th) row until there are 74 (80-88-96-106-112) sts.

Cont in patt without shaping until work measures approx 43 cm (or length desired) from beg, ending with same patt row as Back to beg of armhole shaping.

SHAPE TOP -

Complete as for 3/4 Sleeve Option.

RIGHT FRONT EDGING

With right side facing and using 4.00mm Needles, knit up 94 (96-98-100-100-102) sts evenly along right front edge, beg at lower edge.

Next row - Knit.

Cast off loosely knitways.

LEFT FRONT EDGING

With right side facing and using 4.00mm Needles, knit up 94 (96-98-100-100-102) sts evenly along left front edge, beg at neck edge.

Next row - Knit.

Cast off loosely knitways.

NECKBAND

Using wool needle and back-stitch, join shoulder seams.

With right side facing and using 4.00mm Needles, knit up 21 (21-23-25-27-29) sts evenly along right side of neck, knit across sts from back stitch-holder - dec 6 sts evenly across, knit up 21 (21-23-25-27-29) sts evenly along left side of neck ... 68 (70-76-84-90-96) sts.

Next row - Knit. Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and sleeve seams. Sew in sleeves. Make a loop at right neck edge and sew button to left neck edge to correspond with buttonloop.

KNITTING UP STITCHES

This is the method used for neckbands, armhole bands, etc. Hold work in left hand with right side facing you. Hold working needle and yarn in right hand. Insert point of needle through work from front to back. Wrap yarn round point of needle and knit a stitch.

When working along a cast-off edge, insert needle under both loops of cast-off stitch, and knit up one stitch in each cast-off stitch. (Diagram A)

When working along side edge, insert needle inside one full stitch from the edge (i.e. behind 2 loops of stitch, not just the edge loop). (Diagram B)

You will find along this edge that there is alternately one long and one short stitch. If you require less stitches than there are rows along this edge, always knit up through the short stitches and omit some of the long stitches. (Diagram C)

Before commencing, always count the number of rows you have and compare it to the number of stitches you require, then you will be able to make any adjustments evenly along the length of the work. If you find it difficult to knit up stitches neatly, try using needles 1 or 2 sizes smaller than those in the instructions - but do not forget to change back to the correct size for knitting the band. Some knitters use a crochet hook to pull the stitches through, slipping them one at a time on to the needle.





14. LACE VEST - WORKED SIDEWAYS

EASE OF KNITTING ▲▲ (easy knit, see page 17)

STITCH USED - Roman stripe stitch

MEASUREMENTS

This garment is designed to be a firm fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENT MEASURES (approx with correct tension)

| | cm | 80 | 90 | 100 | 110 | 120 | 130 |
|--------|----|----|----|-----|-----|-----|-----|
| Length | cm | 62 | 63 | 64 | 66 | 66 | 67 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|---|---|----|----|----|----|
| Quantity | 8 | 9 | 10 | 11 | 12 | 13 |
|----------|---|---|----|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

A 4.00mm (No 8) Circular Knitting Needle (60 cm long) or size needed to give correct tension.

- A Wool Needle for sewing up.

TENSION -

16 sts and 32 rows to 10 cm over patt, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 24 sts.

Work 48 rows patt as for Back.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK (worked sideways)

Using 4.00mm Circular Needle, cast on 100 (102-104-106-106-108) sts.

Note - A Circular Needle is used to accommodate the large number of sts made in the first row of the pattern.

Work backwards and forwards in rows, not rounds.

Next row (wrong side) - Knit.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

This is a make and lose pattern, where a number of sts is stated, this does not include sts made or lost in pattern.

Beg patt - 1st row - K1, * yfwd, K1, rep from * to last st, K1 ... 198 (202-206-210-210-214) sts.

2nd row - K1, purl to last st, K1.

3rd row - K1, * K2tog, rep from * to last st, K1 ... 100 (102-104-106-106-108) sts.

4th row - K1, * yfwd, K2tog, rep from * to last st, K1.

5th row - As 4th row.

6th row - Knit.

7th row - Knit.

Rows 1 to 7 incl form patt. **

Cont in patt until work measures approx 40 (45-50-55-60-65) cm from beg, ending with a 7th row.
Cast off loosely knitways.

LEFT FRONT (worked sideways - beg at centre front)

Work as for Back to **.

Cont in patt until work measures approx 20 (23-25-28-30-33) cm from beg, ending with a 7th row.

Cast off loosely knitways.

RIGHT FRONT (worked sideways - beg at centre front)

Work as for Left Front.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and a flat seam (see page 22), join side edges of work for 9 cm for shoulders. Tie coloured threads 19 (20-21-22-23-24) cm down from shoulder seams on Back and Fronts to mark armholes. Join side seams to coloured threads.

MEASUREMENTS

Always be generous with measurements when an instruction is given to a number of centimetres. Measure in centre of work, with work laid out flat, unless otherwise stated.

Always count number of rows to make sure that different parts of a garment correspond when a measurement is given in instructions.

As most patterns give more than one set of measurements, it is advisable to read through the pattern before beginning to knit. Find where your own size is in the bracket and mark that set of figures throughout the pattern. If any alterations have been made to length or width, take a note of them. A row counter helps to keep a close check. When increasing or decreasing, mark the position with a coloured thread - it makes it easier if the work has to be checked.

Join a new ball of yarn at the beginning of a row whenever possible. If the yarn covers the width of your knitted piece 4 times, you will have enough to finish a row - if not, join a new ball of yarn (the odd length can be used for sewing up). When yarn has to be joined in the middle of a row (e.g. circular knitting) it must be spliced.



15. MOSS STITCH SINGLET

EASE OF KNITTING 🍴🍴 (easy knit, see page 17)

STITCH USED - Moss stitch

MEASUREMENTS

Size

Fits bust

This garment is designed to be a firm fit.

| | XXS | XS | S | M | L | XL |
|----|-----|-------|-------|-------|---------|---------|
| cm | 65 | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 |

GARMENT MEASURES (approx at bust with correct tension)

| | cm | 70 | 80 | 90 | 100 | 110 | 120 |
|--------|----|----|----|----|-----|-----|-----|
| Length | cm | 49 | 50 | 51 | 52 | 53 | 54 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

Quantity

| | | | | | |
|---|---|---|---|---|---|
| 5 | 5 | 6 | 7 | 7 | 8 |
|---|---|---|---|---|---|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- 2 Stitch Holders.
- A Wool Needle for sewing up.

TENSION -

19 sts and 35 rows to 10 cm over moss st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 29 sts.

Work 52 rows moss st as for Back.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 69 (79-87-97-107-117) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

1st row - K1, * P1, K1, rep from * to end.

Last row forms moss st.

Work a further 3 rows moss st.

Keeping moss st correct, dec one st at each end of next row, then in every foll 8th row until 59 (69-77-87-97-107) sts rem.

Work 9 rows moss st without shaping.

Inc one st at each end of next row, then in every foll 12th row until there are 69 (79-87-97-107-117) sts.

Cont in moss st without shaping until work measures 31 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Keeping moss st correct, cast off 5 (6-7-9-10-11) sts at beg of next 2 rows ... 59 (67-73-79-87-95) sts.

Dec one st at each end of next row, then in every foll alt row until 51 (55-59-63-69-73) sts rem, ***

Cont in moss st without shaping until work measures 44 (45-46-47-48-49) cm from beg, working last row on wrong side.

SHAPE BACK NECK -

Next row - Moss 17 (18-19-20-22-23), turn.

** Cont on these 17 (18-19-20-22-23) sts.

Dec one st at neck edge in every row until 9 (10-11-12-14-15) sts rem.

Cont in moss st without shaping until work measures 49 (50-51-52-53-54) cm from beg, working last row on wrong side.

SHAPE SHOULDER -

Cast off 5 (5-6-6-7-8) sts at beg of next row.

Work 1 row.

Cast off rem 4 (5-5-6-7-7) sts. **

Slip next 17 (19-21-23-25-27) sts onto a stitch-holder and leave.

Join yarn to rem sts and moss to end.

Rep from ** to **, working 1 row more before shoulder shaping.

FRONT

Work as for Back to ***.

Work 17 (13-11-9-7-3) rows moss st.

SHAPE FRONT NECK -

Next row - Moss 17 (19-21-23-26-28), turn.

**** Cont on these 17 (19-21-23-26-28) sts.

Dec one st at neck edge in every foll alt row until 15 (16-18-20-23-24) sts rem, then in every foll 4th row until 9 (10-11-12-14-15) sts rem.

Cont in moss st without shaping until armhole measures same as Back to beg of shoulder shaping, working last row on wrong side.

SHAPE SHOULDER -

Cast off 5 (5-6-6-7-8) sts at beg of next row.

Work 1 row. Cast off rem 4 (5-5-6-7-7) sts. ****

Slip next 17 sts onto a stitch-holder and leave.

Join yarn to rem sts and moss to end.

Rep from **** to ****, working 1 row more before shoulder shaping.

NECK EDGING

Using wool needle and back-stitch, join right shoulder seam. With right side facing and using 4.00mm Needles, knit up 20 (22-24-26-28-30) sts evenly along left front neck, knit across sts from front stitch-holder, knit up 20 (22-24-26-28-30) sts evenly along right front neck, 10 sts evenly along right back neck, knit across sts from back stitch-holder - dec one st in centre, then knit up 10 sts evenly along left back neck ... 93 (99-105-111-117-123) sts.

Next row - Knit. Cast off loosely knitways.

ARMHOLE EDGINGS

Using wool needle and back-stitch, join left shoulder seam. With right side facing and using 4.00mm Needles, knit up 79 (85-91-97-103-109) sts evenly along armhole edge.

Next row - Knit. Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side seams.



16. LACE WRAP WITH ZIG ZAG EDGING

EASE OF KNITTING 🌱🌱🌱 (intermediate knit, see page 17)

STITCHES USED - Trellis Lace and Narrow Dice stitch

MEASUREMENTS

One size fits most

| | | |
|---|----|-----|
| Width (approx at cast off edge, including edging) | cm | 159 |
| Depth (approx, including edging) | cm | 37 |

PATONS YARN REQUIRED -

IMPORTANT! Use only the yarn specified for this wrap.

Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

Quantity 6

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts.

Work 42 rows stocking st. Cast off loosely. Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

WRAP

Using 4.00mm Needles, cast on 11 sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a wrap that is the wrong shape or size.

When the number of sts will not fit comfortably on needle, change to the circular needle.

Beg patt - 1st row - K4, * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last st, K1.

2nd row - Cast on 3 sts, purl to end ... 14 sts.

3rd row - Cast on 3 sts, K4 (meaning you knit the 3 sts just cast on, plus the next st), * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last st, K1 ... 17 sts.

Rows 2 and 3 incl form patt.

Rep 2nd and 3rd rows until there are 305 sts. Cast off loosely purfways.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles and a 4.00mm (No 8) Circular Needle (80 cm long) or size needed to give correct tension.

- A Wool Needle for sewing up.

ABBREVIATIONS - See page 68.

EDGING

Using 4.00mm Needles, cast on 6 sts.

Next row (wrong side) - Knit.

Beg patt - 1st row - K2, yfwd, K2tog, yfwd, K2 ... 7 sts.

2nd row - K2, (yfwd, K1) twice, yfwd, K2tog, K1 ... 9 sts.

3rd row - K2, yfwd, K2tog, yfwd, K3, yfwd, K2 ... 11 sts.

4th row - K2, yfwd, K5, yfwd, K1, yfwd, K2tog, K1 ... 13 sts.

5th row - K2, yfwd, K2tog, yfwd, sl 1, K1, pssso, K3, K2tog, yfwd, K2 ... 13 sts.

6th row - K3, yfwd, sl 1, K1, pssso, K1, K2tog, yfwd, K2, yfwd, K2tog, K1 ... 13 sts.

7th row - K2, yfwd, K2tog, K2, yfwd, sl 1, K2tog, pssso, yfwd, K4 ... 13 sts.

8th row - Cast off 7 sts, K2, yfwd, K2tog, K1 ... 6 sts.

Rows 1 to 8 incl form edging patt.

Cont in edging patt until work measures length required to fit along side edges of wrap (edges where sts have been cast on), ending with an 8th row. Cast off knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and a flat seam (see page 22) sew edging in position.

CASTING ON FOR K1, P1, RIB

This is a variation of the two-needle method of casting on, and gives a very neat and elastic edge. It is **not** suitable for any rib other than K1, P1.

First you will need to read the first rib row, as this will determine how you start your casting on.

1. If you need an uneven number of stitches and the first row reads K2, * P1, K1, rep from * to last st, K1. - Make a slip loop and place it on left-hand needle. Insert right-hand needle into loop knitways and knit a stitch, slip the stitch thus made on to the left-hand needle.

****** Insert right-hand needle purlways between last 2 stitches and purl a stitch (diagram 1), slip the stitch thus made on to left-hand needle (taking care not to twist the stitch), insert right-hand needle knitways between last 2 stitches and knit a stitch (diagram 2), slip the stitch thus made on to left-hand needle, rep from ** for required number of stitches, ending with 2 knit stitches (before slipping the last stitch on to your left-hand needle, bring your yarn forward between the two needles - this will keep the edge of your work neat).

2. If you need an even number of stitches and the first row reads * K1 P1, rep from * to last 2 sts, K2. - Work as for method 1, but end with 1 knit stitch instead of 2.

3. If you need an uneven number of stitches and the first row reads K1, * P1, K1, rep from * to end. - Make a slip loop and place it on left-hand needle. Insert right-hand needle into loop purlways and purl a stitch, slip the stitch thus made on to left-hand needle (taking care not to twist the stitch).

****** Insert right-hand needle knitways between last 2 stitches and knit a stitch (diagram 2), slip the stitch thus made on to left-hand needle, insert right-hand needle purlways between last 2 stitches and purl a stitch (diagram 1), slip the stitch thus made on to left-hand needle (taking care not to twist the stitch), rep from ** for required number of stitches, ending with 1 knit stitch (before slipping the last stitch on to your left-hand needle, bring your yarn forward between the two needles - this will keep the edge of your work neat).

4. If you need an even number of stitches and the first row reads K2, * P1, K1, rep from * to end. - Work as for method 3, but end with 2 knit stitches instead of 1.

1



2





17. VEE LACE JACKET

With sleeve length options

EASE OF KNITTING 🍴🍴🍴 (intermediate knit, see page 17)

STITCHES USED - Dewdrop pattern and 1 x 1 Rib

MEASUREMENTS

These garments are designed to be an easy fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENTS MEASURE (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|-----------------------------|----|----|----|-----|-----|-----|-----|
| Length | cm | 54 | 55 | 56 | 57 | 58 | 59 |
| 3/4 Sleeve Length (approx) | cm | 32 | 32 | 32 | 32 | 32 | 32 |
| Long Sleeve Length (approx) | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for these garments.
Other yarns may give unsatisfactory results.
Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|--------------------|----|----|----|----|----|----|
| 3/4 Sleeve Jacket | 9 | 10 | 11 | 12 | 13 | 14 |
| Long Sleeve Jacket | 10 | 11 | 12 | 13 | 14 | 15 |

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Wool Needle for sewing up.
- 1 Button.

TENSION -

23 sts and 30 rows to 10 cm over patt, using 4.00mm Needles.

To work approx a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 37 sts. Work 44 rows patt as for Back.

Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 4.00mm Needles, cast on 97 (109-121-133-145-157) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg patt - 1st row (wrong side) - K2, * P3, K3, rep from * to last 5 sts, P3, K2.

2nd row - P2, * K3, P3, rep from * to last 5 sts, K3, P2.

3rd row - As 1st row.

4th row - K2, * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last 5 sts, yfwd, sl 1, K2tog, pssso, yfwd, K2.

5th row - As 2nd row.

6th row - As 1st row.

7th row - As 2nd row.

8th row - K2tog, yfwd, * K3, yfwd, sl 1, K2tog, pssso, yfwd, rep from * to last 5 sts, K3, yfwd, sl 1, K1, pssso.

Rows 1 to 8 incl form patt.


Cont in patt until work measures 15 cm from beg, working last row on right side.

NOTES



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in patt until work measures 34 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Note - Care must be taken when shaping in this pattern stitch. Do not work a yfwd unless you have sufficient sts to work a K2tog, sl 1, K1, pssso or sl 1, K2tog, pssso to compensate for it, and vice versa.

Keeping patt correct, cast off 6 (7-9-11-12-14) sts at beg of next 2 rows ... 85 (95-103-111-121-129) sts.

Dec one st at each end of every row until 75 (81-85-91-97-101) sts rem.

Cont in patt without shaping until work measures 54 (55-56-57-58-59) cm from beg, working last row on wrong side.

SHAPE SHOULDERS -

Cast off 7 (8-8-9-9-10) sts at beg of next 4 rows, then 7 (7-8-8-10-9) sts at beg of foll 2 rows.

Cast off rem 33 (35-37-39-41-43) sts loosely in patt.

LEFT FRONT

Using 4.00mm Needles, cast on 49 (55-61-67-73-79) sts.

Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping patt correct, cast off 6 (7-9-11-12-14) sts at beg of next row ... 43 (48-52-56-61-65) sts.

Work 1 row patt.

Dec one st at armhole edge in every row 5 (7-9-10-12-14) times, AT SAME TIME dec one st at end (front edge) in next row, then in every foll alt row 8 (8-9-9-10-10) times, then in every foll 4th row until 21 (23-24-26-28-29) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 7 (8-8-9-9-10) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 7 (7-8-8-10-9) sts.

RIGHT FRONT

Using 4.00mm Needles, cast on 49 (55-61-67-73-79) sts.

Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row. Work 1 row patt.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping patt correct, cast off 6 (7-9-11-12-14) sts at beg of next row ... 43 (48-52-56-61-65) sts.

Dec one st at armhole edge in every row 5 (7-9-10-12-14) times, AT SAME TIME dec one st at beg (front edge) in next row, then in every foll alt row 8 (8-9-9-10-10) times, then in every foll 4th row until 21 (23-24-26-28-29) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER -

Cast off 7 (8-8-9-9-10) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 7 (7-8-8-10-9) sts.

3/4 SLEEVE OPTION

Using 4.00mm Needles, cast on 55 (61-67-67-73-79) sts.

Work 9 rows patt as for Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 8th (6th-6th-4th-4th-4th) row until there are 65 (65-71-81-93-105) sts, then in every foll 10th (8th-8th-6th-6th-6th) row until there are 73 (81-87-97-105-113) sts.

Cont in patt without shaping until work measures approx 32 cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.

SHAPE TOP -

Keeping patt correct, cast off 3 (4-5-6-6-7) sts at beg of next 2 rows ... 67 (73-77-85-93-99) sts.

Dec one st at each end of next row, then in every foll alt row until 27 (35-39-51-63-67) sts rem, then in every row until 17 sts rem.

Cast off loosely in patt.

LONG SLEEVE OPTION

Using 4.00mm Needles, cast on 49 (55-55-55-61-61) sts.

Work 9 rows patt as for Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 8th (8th-6th-4th-4th-4th) row until there are 55 (71-71-71-83-107) sts, then in every foll 10th (10th-8th-6th-6th-6th) row until there are 73 (81-87-97-105-113) sts.

Cont in patt without shaping until work measures approx 43 cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.

SHAPE TOP -

Complete as for 3/4 Sleeve Option.

FRONT BAND

Using wool needle and back stitch, join shoulder seams.

Using 4.00mm Needles, cast on 3 sts.

1st row (right side) - K1, P1, K1.

2nd row - P1, K1, P1.

Last 2 rows form rib.

Cont in rib until band fits (slightly stretched) evenly along right front edge, right front slope shaping, across back neck, left front slope shaping, then left front edge, working last row on wrong side.

Cast off in rib.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and sleeve seams. Sew in sleeves. Using wool needle and a flat seam (see page 22), sew front band in position. Make a button loop and attach to Right Front as pictured. Sew on button to correspond with buttonloop.

VARIATIONS IN SPECIFIED YARN QUANTITIES

Knitters occasionally comment that the quantity of yarn recommended for a garment varies from the amount they actually use. One major reason for this is that no two people knit or crochet in exactly the same way. When we specify a quantity of yarn for a particular garment, we are stating a figure that is the end result of having each individual design made by as many as six different knitters.

The average quantity determined by this check knitting is regarded as the most satisfactory figure for that particular garment, knitted at the **correct tension** * to the measurements specified and in the actual yarn recommended. Naturally, if you decide to change the body or sleeve length **you must allow for an adjustment to the quantity of yarn.**

* **Correct tension** - see tension instructions for your garment.

CONVERSION OF INCHES TO CENTIMETRES

The table below gives approximate equivalents of inches and centimetres -

| | | | | | | | | | | |
|-----|----|----|----|----|----|----|-----|-----|-----|-----|
| ins | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 |
| cm | 71 | 76 | 81 | 86 | 91 | 96 | 102 | 107 | 112 | 117 |



18. DIAMOND LACE JACKET

With bobble trim

EASE OF KNITTING **▲▲▲** (intermediate knit, see page 17)

STITCHES USED - Diamond stitch and Bobbles

MEASUREMENTS

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENT MEASURES (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|---------------|----|----|----|-----|-----|-----|-----|
| Length | cm | 63 | 64 | 65 | 66 | 67 | 68 |
| Sleeve Length | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|----|----|----|----|----|----|
| Quantity | 11 | 12 | 13 | 14 | 15 | 16 |
|----------|----|----|----|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

- A Stitch Holder.
- A Wool Needle for sewing up.

TENSION -

20 sts and 32 rows to 10 cm over patt, using 4.00mm Needles.

To work approx a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 29 sts. Work 48 rows patt as for Back. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

Bobble = (K1, P1, K1, P1, K1) all in same st, turn, P5, turn, K5, turn, P5, turn, slip 2nd, 3rd, 4th and 5th sts over first st, K1 (this is the first st).

BACK

Using 4.00mm Needles, cast on 89 (95-107-119-125-137) sts.

Bobble row - K4 (2-3-4-2-3), * **Bobble**, K4, rep from * to last 5 (3-4-5-3-4) sts, **Bobble**, K4 (2-3-4-2-3).

Next row - Knit.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg patt - 1st row - K2, * yfwd, sl 1, K1, pssso, K1, yfwd, K2tog, K1, rep from * to last 3 sts, yfwd, sl 1, K1, pssso, K1.

2nd and foll alt rows - Purl.

3rd row - K3, * yfwd, sl 1, K1, pssso, K1, K2tog, yfwd, K1, rep from * to last 2 sts, K2.

5th row - K4, * yfwd, sl 1, K2tog, pssso, yfwd, K3, rep from * to last st, K1.

7th row - K2, * yfwd, K2tog, K1, yfwd, sl 1, K1, pssso, K1, rep from * to last 3 sts, yfwd, K2tog, K1.

9th row - K3, * K2tog, yfwd, K1, yfwd, sl 1, K1, pssso, K1, rep from * to last 2 sts, K2.

11th row - K2, K2tog, yfwd, * K3, yfwd, sl 1, K2tog, pssso, yfwd, rep from * to last 7 sts, K3, yfwd, sl 1, K1, pssso, K2.

12th row - Purl.

Rows 1 to 12 incl form patt.


Cont in patt until work measures 15 cm from beg, working last row on right side.

NOTES



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in patt without shaping until work measures 43 cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Note - Care must be taken when shaping in this pattern stitch. Do not work a yfwd/s unless you have sufficient sts to work a K2tog, sl 1, K1, pssso or sl 1, K2tog, pssso, to compensate for it, and vice versa.

Keeping patt correct, cast off 6 (6-8-10-10-12) sts at beg of next 2 rows ... 77 (83-91-99-105-113) sts.

Dec one st at each end of next row, then in every foll alt row until 67 (71-75-81-85-89) sts rem.
Cont in patt without shaping until work measures 63 (64-65-66-67-68) cm from beg, working last row on wrong side.

SHAPE SHOULDERS -

Cast off 6 (7-7-8-8-8) sts at beg of next 4 rows, then 7 (6-7-7-8-9) sts at beg of foll 2 rows.
Leave rem 29 (31-33-35-37-39) sts on a stitch-holder.

LEFT FRONT

Using 4.00mm Needles, cast on 47 (47-53-59-65-71) sts.

Bobble row - K3 (3-4-4-2-3), * **Bobble**, K4, rep from * to last 4 (4-4-5-3-3) sts, **Bobble**, K3 (3-3-4-2-2).

Next row - Knit.

Beg patt - Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE ARMHOLE -

Keeping patt correct, cast off 6 (6-8-10-10-12) sts at beg of next row ... 41 (41-45-49-55-59) sts.
Dec one st at armhole edge in every foll alt row until 36 (35-37-40-45-47) sts rem.
Cont in patt without shaping until work measures 7 (7-7-8-8-9) cm less than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK -

Next row - Cast off 7 (8-8-9-9-10) sts, patt to end ... 29 (27-29-31-36-37) sts.
Dec one st at neck edge in every row until 20 (24-24-28-27-30) sts rem, then in every foll alt row until 19 (20-21-23-24-25) sts rem.
Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 6 (7-7-8-8-8) sts at beg of next row and foll alt row.
Work 1 row. Cast off rem 7 (6-7-7-8-9) sts.

RIGHT FRONT

Using 4.00mm Needles, cast on 47 (47-53-59-65-71) sts.

Bobble row - K3 (3-3-4-2-2), * **Bobble**, K4, rep from * to last 4 (4-5-5-3-4) sts, **Bobble**, K3 (3-4-4-2-3).

Next row - Knit.

Beg patt - Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.
Work 1 row patt.

SHAPE ARMHOLE -

Keeping patt correct, cast off 6 (6-8-10-10-12) sts at beg of next row ... 41 (41-45-49-55-59) sts.
Dec one st at armhole edge in next row, then in every foll alt row until 36 (35-37-40-45-47) sts rem.
Cont in patt without shaping until work measures 7 (7-7-8-8-9) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK -

Next row - Cast off 7 (8-8-9-9-10) sts, patt to end ... 29 (27-29-31-36-37) sts.

Work 1 row patt.

Dec one st at neck edge in every row until 20 (24-24-28-27-30) sts rem, then in every foll alt row until 19 (20-21-23-24-25) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER -

Cast off 6 (7-7-8-8-8) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 7 (6-7-7-8-9) sts.

SLEEVES

Using 4.00mm Needles, cast on 47 (47-47-53-53-53) sts.

Bobble row - K3 (3-3-1-1-1), * **Bobble**, K4, rep from * to last 4 (4-4-2-2-2) sts, **Bobble**, K3 (3-3-1-1-1).

Next row - Knit.

Beg patt - Work rows 1 to 12 incl of patt as for Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 12th (8th-6th-6th-4th-4th) row until there are 53 (51-53-67-61-79) sts, then in every foll 14th (10th-8th-8th-6th-6th) row until there are 65 (71-77-85-93-99) sts.

Cont in patt without shaping until work measures 43 cm (or length desired) from beg, ending with same patt row as Back to beg of armhole shaping.

SHAPE TOP -

Keeping patt correct, cast off 3 (3-4-5-5-6) sts at beg of next 2 rows ... 59 (65-69-75-83-87) sts.
Dec one st at each end of next row, then in every foll alt row until 15 (15-21-25-37-41) sts rem.

sizes M, L, XL and XXL only - then in every row until 15 sts rem.

Sizes XS and S only - Work 1 row.

All sizes - Cast off rem sts.

RIGHT FRONT EDGING

With right side facing and using 4.00mm Needles, knit up 108 (110-112-114-116-118) sts evenly along right front edge, beg at lower edge.

Next row - Knit. Cast off loosely knitways.

LEFT FRONT EDGING

With right side facing and using 4.00mm Needles, knit up 108 (110-112-114-116-118) sts evenly along left front edge, beg at neck edge.

Next row - Knit. Cast off loosely knitways.

NECKBAND

Using wool needle and back-stitch, join shoulder seams.

With right side facing and using 4.00mm Needles, knit up 21 (22-22-25-25-28) sts evenly along right side of neck, knit across sts from back stitch-holder - dec 2 sts evenly across, knit up 21 (22-22-25-25-28) sts evenly along left side of neck ... 69 (73-75-83-85-93) sts.

Next row - Knit.

Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and sleeve seams. Sew in sleeves.

NEATENING OF CAST OFF BUTTONHOLES

When working the cast-on row of buttonhole, before slipping the last cast-on stitch on to the left-hand needle, pass the yarn from back to front between the needles, then slip the stitch on to the left-hand needle and complete the row.

Alternatively, when working the row after buttonhole has been completed, with right-hand needle pick up purfways the loose thread, or threads, at base of buttonhole, slip it on to left-hand needle and work it together with the first stitch on left-hand needle.



19. EYELET JACKET WITH LACE EDGING

EASE OF KNITTING ▲▲▲ (intermediate knit, see page 17)

STITCHES USED - Garter stitch and Lace pattern

MEASUREMENTS

This garment is designed to be an easy fit.

| Size | | XS | S | M | L | XL | XXL |
|-----------|----|-------|-------|-------|---------|---------|---------|
| Fits bust | cm | 70-75 | 80-85 | 90-95 | 100-105 | 110-115 | 120-125 |

GARMENT MEASURES (approx with correct tension)

| | cm | 85 | 95 | 105 | 115 | 125 | 135 |
|------------------------|----|----|----|-----|-----|-----|-----|
| Length | cm | 62 | 63 | 64 | 65 | 66 | 67 |
| Sleeve Length (approx) | cm | 43 | 43 | 43 | 43 | 43 | 43 |

PATONS YARN REQUIRED - IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

ZHIVAGO 50g balls

| | | | | | | |
|----------|---|----|----|----|----|----|
| Quantity | 9 | 10 | 11 | 12 | 13 | 14 |
|----------|---|----|----|----|----|----|

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS -

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension.

- A Wool Needle for sewing up.

TENSION -

20 sts and 28 rows to 10 cm over stocking st, using 4.00mm Needles.

To work a 15 cm x 15 cm tension square, use 4.00mm Needles, cast on 30 sts.

Work 42 rows stocking st. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 68.

BACK

Using 3.25mm Needles, cast on 89 (97-107-117-127-137) sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and **beg patt**.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

1st row (right side) - K2 (6-5-4-3-2), * K1, yfwd, K3, K2tog, K1, sl 1, K1, pssso, K3, yfwd, rep from * to last 3 (7-6-5-4-3) sts, K3 (7-6-5-4-3).

2nd and foll alt rows - Purl.

3rd row - As 1st row.

5th row - K2 (6-5-4-3-2), * K1, sl 1, K1, pssso, K3, yfwd, K1, yfwd, K3, K2tog, rep from * to last 3 (7-6-5-4-3) sts, K3 (7-6-5-4-3).

7th row - As 5th row.

8th row - Purl.

Rows 1 to 8 incl form patt.


Cont in patt until work measures 15 cm from beg, working last row on right side.

NOTES



CHECK YOUR TENSION AND WIDTH OF BACK NOW!

- Patt to centre of next row.
- Lay work flat and measure the width.
- Your panel should measure approx 43 (48-53-58-63-68) cm, if your **tension** is correct.



- If **correct**, patt to end of row and continue following the knitting pattern.
- If **incorrect**, you will need to start again, adjusting your needle size, refer to tension on previous page.

Note - Right side of work is now facing for next row. Cont in patt until work measures 42 cm from beg, ending with a purl row.

SHAPE ARMHOLES -

Note - Care must be taken when shaping in this pattern stitch. Do not work a yfwd unless you have sufficient stitches to work the corresponding K2tog, or sl 1, K1, pssso to compensate for it and vice versa.

Keeping patt correct, cast off 6 (7-8-9-11-12) sts at beg of next 2 rows ... 77 (83-91-99-105-113) sts. Dec one st at each end of every row until 71 (77-81-89-95-99) sts rem, then in every foll alt row until 67 (71-75-81-85-89) sts rem.

Cont in patt without shaping until work measures 59 (60-61-62-63-64) cm from beg, ending with a purl row.

SHAPE BACK NECK -

Next row - Patt 20 (21-22-24-25-26), cast off next 27 (29-31-33-35-37) sts loosely, patt to end.

****** Cont on these 20 (21-22-24-25-26) sts.

Dec one st at neck edge in every row until 13 (14-15-17-18-19) sts rem. Work 1 row patt.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 5 (4-5-5-6-7) sts. ******

With wrong side facing, join yarn to rem sts.

Rep from ****** to ******, working 1 row **less** before shoulder shaping.

LEFT FRONT

Using 3.25mm Needles, cast on 33 (37-42-47-52-57) sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and **beg patt**.

1st row (right side) - K2 (6-5-4-3-2), * K1, yfwd, K3, K2tog, K1, sl 1, K1, pssso, K3, yfwd, rep from * to last 7 (7-1-7-1-7) st/s, K1, (yfwd, K3, K2tog, K1) 1 (1-0-1-0-1) time/s.

2nd and foll alt rows - Purl.

3rd row - As 1st row.

5th row - K2 (6-5-4-3-2), * K1, sl 1, K1, pssso, K3, yfwd, K1, yfwd, K3, K2tog, rep from * to last 7 (7-1-7-1-7) st/s, K1, (sl 1, K1, pssso, K3, yfwd, K1) 1 (1-0-1-0-1) time/s.

7th row - As 5th row.

8th row - Purl.

Rows 1 to 8 incl form patt.

Cont in patt until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping patt correct, cast off 6 (7-8-9-11-12) sts at beg of next row ... 27 (30-34-38-41-45) sts.

Work 1 row patt.

Dec one st at armhole edge in every row 3 (3-5-5-5-7) times, then in every foll alt row 2 (3-3-4-5-5) times, AT SAME TIME dec one st at **end** (front edge) in next row, then in every foll 4th row 2 (3-5-7-8-10) times, then in every foll 6th row until 13 (14-15-17-18-19) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 5 (4-5-5-6-7) sts.

RIGHT FRONT

Using 3.25mm Needles, cast on 33 (37-42-47-52-57) sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and **beg patt**.

1st row (right side) - (K1, sl 1, K1, pssso, K3, yfwd) 1 (1-0-1-0-1) time/s, * K1, yfwd, K3, K2tog, K1, sl 1, K1, pssso, K3, yfwd, rep from * to last 3 (7-6-5-4-3) sts, K3 (7-6-5-4-3).

2nd and foll alt rows - Purl.

3rd row - As 1st row.

5th row - (K1, yfwd, K3, K2tog) 1 (1-0-1-0-1) time/s, * K1, sl 1, K1, pssso, K3, yfwd, K1, yfwd, K3, K2tog, rep from * to last 3 (7-6-5-4-3) sts, K3 (7-6-5-4-3).

7th row - As 5th row.

8th row - Purl.

Rows 1 to 8 incl form patt.

Cont in patt until work measures same as Back to beg of armhole shaping, ending with same patt row.

Work 1 row patt.

SHAPE ARMHOLE AND FRONT SLOPE -

Keeping patt correct, cast off 6 (7-8-9-11-12) sts at beg of next row ... 27 (30-34-38-41-45) sts.

Dec one st at armhole edge in every row 3 (3-5-5-5-7) times, then in every foll alt row 2 (3-3-4-5-5) times, AT SAME TIME dec one st at **beg** (front edge) in next row, then in every foll 4th row 2 (3-5-7-8-10) times, then in every foll 6th row until 13 (14-15-17-18-19) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 5 (4-5-5-6-7) sts.

SLEEVES

Using 3.25mm Needles, cast on 41 (**41-41-53-53-53**) sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and **beg patt**.

Work 8 rows patt as for **size XS** of Back.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 8th (**6th-4th-6th-4th-4th**) row until there are 51 (**55-47-75-71-89**) sts, then in every foll 10th (**8th-6th-8th-6th-6th**) row until there are 63 (**69-75-83-91-97**) sts.

Cont in patt without shaping until work measures approx 43 cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.

SHAPE TOP -

Keeping patt correct, cast off 3 (**4-4-5-6-6**) sts at beg of next 2 rows ... 57 (**61-67-73-79-85**) sts.

Dec one st at each end of next row, then in every foll alt row until 17 (**17-25-33-41-49**) sts rem, then in every row until 15 sts rem.

Cast off.

NECK EDGING

Using wool needle and back-stitch, join shoulder seams.

Using 4.00mm Needles, cast on 13 sts.

1st and foll alt rows (wrong side) - K2, purl to last 2 sts, K2.

2nd row - Sl 1, K3, yfwd, K5, yfwd, K2tog, yfwd, K2 ... 15 sts.

4th row - Sl 1, K4, sl 1, K2tog, pssso, K2, (yfwd, K2tog) twice, K1 ... 13 sts.

6th row - Sl 1, K3, sl 1, K1, pssso, K2, (yfwd, K2tog) twice, K1 ... 12 sts.

8th row - Sl 1, K2, sl 1, K1, pssso, K2, (yfwd, K2tog) twice, K1 ... 11 sts.

10th row - Sl 1, K1, sl 1, K1, pssso, K2, (yfwd, K2tog) twice, K1 ... 10 sts.

12th row - K1, sl 1, K1, pssso, K2, yfwd, K1, yfwd, K2tog, yfwd, K2 ... 11 sts.

14th row - Sl 1, (K3, yfwd) twice, K2tog, yfwd, K2 ... 13 sts.

Rows 1 to 14 incl form patt.

Cont in patt until neck edging fits (slightly stretched) evenly along fronts and around back neck shaping, ending with a 14th row.

Cast off purlways.

MAKE UP

DO NOT PRESS. Using wool needle, sew in all ends. Using wool needle and back-stitch, join side and sleeve seams. Sew in sleeves. Using wool needle and a flat seam (see page 22), sew neck edging evenly along fronts and around back neck shaping, easing to fit.



KNITTING ABBREVIATIONS

The first row is always the right side of the work unless otherwise stated

K = knit

P = purl

alt = alternate

beg = begin or beginning

cont = continue

dec = decrease, decreased, decreases or decreasing

fol = following or follows

garter st = every row knit

inc = increase, increased, increases or increasing

incl = including or inclusive

patt = pattern

psso = pass slipped stitch(es) over

purl fabric = 1 row purl, 1 row knit (purl side is right side)

rem = remain, remains, remainder or remaining

rep = repeat

sl = slip

stocking st = 1 row knit, 1 row purl

st, sts = stitch or stitches

tbl = through back of loop(s)

tog = together

0 = no rows, stitches or times

M1 = Make 1 - pick up loop which lies before next stitch, place on left hand needle and knit (or purl) into back of loop

ybk = yarn back - take yarn under needle from purling position into knitting position

yft = yarn front - bring yarn under needle from knitting position into purling position

yfwd = yarn forward - bring yarn under needle, then over into knitting position again, thus making a stitch

yon = yarn over needle - take yarn over top of needle into knitting position, thus making a stitch

yrn = yarn round needle - take yarn right round needle into purling position, thus making a stitch

NOTE: When instructions read - "Cast off 2 sts" (or similar stitches), the stitch left on the right hand needle, after casting off, is counted as one stitch

NOTE: The first row is always the right side of the work unless otherwise stated.

cm = centimetre(s)

mm = millimetre(s)

ins = inches

Accessories courtesy of -



Accessorize

JUMP

visit our website - www.patons.biz

A Patons 314-320 Albert St Brunswick, Victoria, Australia, 3056. A.B.N 85 055 366 590

Assistline - (03) 9380 3888 or Toll Free - 1800 333 642

We have made every effort to ensure that these instructions are accurate and complete. However, we cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used. This publication is protected by copyright.

Zivago is a trade mark of Australian Country Spinners Pty Ltd.



STYLE 10
Shaped Classic Cardigan



STYLE 9
Shaped Classic Sweater

STYLE 11

Wrap Jacket with Lace Trim



STYLE 12
Scalloped Hem Top





STYLE 13

Classic Texture Jacket

STYLE 14

Lace Vest - Worked Sideways



STYLE 16

Lace Wrap with Zig Zag Edging

STYLE 15

Moss Stitch Singlet



STYLE 17
Vee Lace Jacket



STYLE 18

Diamond Lace Jacket





 **Patons**

BOOK 1248
ZHIVAGO SUMMER
KNITS
19 STYLES
SIZES: XXS TO XXL



STYLE 19

Eyelet Jac

30%

6 \$17.95

SPOTLIGHT

TB0001-price code J



9 529269 016128